

**GREEN ROOM SESSIONS 2018** 

# **Book of Proceedings**



Podgorica, Montenegro, 2018

www.greenrooms.me

#### **GREEN ROOM SESSIONS 2018**

## International GEA (Geo Eco-Eco Agro) Conference

1-3 November 2018, Podgorica, Montenegro

Website: www.greenrooms.me

## **Book of Proceedings**

Publisher: University of Montenegro, Faculty of Philosophy, Geography, Montenegro Danila Bojovića bb, 81400 Niksic, Montenegro, Web: https://www.ucg.ac.me/ff

University of Montenegro, Faculty of Architecture, Montenegro

University of Montenegro, Biotechnical Faculty, Montenegro

University of Montenegro, Institute of Marin Biology, Montenegro

Perm State Agro-Technological University, Russia

Voronezh State Agricultural University, Russia

Faculty of Agricultural Sciences and Food, Skopje, Macedonia

University of Zagreb, Faculty of Agriculture

Aleksandras Stulginskis University, Lithuania

University of Sarajevo, Faculty of Agriculture and Food Science, B&H

Tarbiat Modares University, Faculty of Natural Resources, Iran

Watershed Management Society, Iran

University of Banja Luka, Faculty of Natural Sciences and Mathematics, RS, B&H

University of East Sarajevo, Faculty of Agriculture, RS, B&H

Institute of Field and Vegetable Crops, Novi Sad, Serbia

Balkan Scientific Association of Agricultural Economists

University of Dzemal Bijedic, Mostar, Agromediterranean Faculty, B&H

University of Kragujevac, Faculty of Hotel Management & Tourism Vrnjacka Banja

Institute of Meteorology and Seismology of Montenegro

National Parks of Montenegro

Put Gross, Montenegro

Eko ekvilibrijum, Montenegro

National Association of Sommeliers of Montenegro

Centar za samorazvoj i unapredjenje drustva

## Editor in Chief: Velibor Spalevic, MONTENEGRO

## Co-Editor: Vera Popovic, SERBIA Section Editors and Reviewers:

- (1) Plant production: Viliana Vasileva, BULGARIA; Feryal Varasteh, IRAN;
- (2) Plant protection & Food safety: Mustapha Zemzami, MOROCCO; Sanja Radonjic, MONTENEGRO;
- (3) Genetic resources: Larysa Prysiazhniuk, UKRAINE; Vesna Maraš, MONTENEGRO;
- (4) Phytochemistry and Medicinal Plants: Marija Srbinoska, MACEDONIA; Zoran Jovović, MONTENEGRO;
- (5) Animal husbandry: Zeynab Raftani Amiri, IRAN; Božidarka Marković, MONTENEGRO;
- (6) Rural development and agro-economy: Goran Skataric, MONTENEGRO; Radovan Pejanovic, SERBIA;
- (7) Rural Environments and Architecture: Tudor Sălăgean, ROMANIA; Svetislav G. Popovic, MONTENEGRO;
- (8) Natural resources management: Ronaldo Luiz Mincato, BRAZIL; Goran Barovic, MONTENEGRO;
- (9) Forestry: Antanina Stankevičienė, LITHUANIA; Milic Curovic, MONTENEGRO.

Photo front page: Aleksandar Jaredic / Ribo Raicevic

CIP - Каталогизација у публикацији Национална библиотека Црне Горе, Цетиње

ISBN 978-9940-694-09-8

COBISS.CG-ID 37143056

#### **Honorary Committee**

## Prof. Dr. Sanja Damjanovic, Minister of Science, President of the Honorary Committee, Montenegro

Prof. dr. Danilo Nikolic, Rector, University of Montenegro

Prof. dr. Dusko Bjelica, President of the Governing Board of the University of Montenegro

Ms Smiljana Prelevic, General Secretary of the Ministry of Science of Montenegro

Prof. dr Radomir Vukasojević, University of Montenegro / the Ministry of Science of Montenegro

Acad. Prof. em. Dr. Gordan S. Karaman, Montenegrin Academy of Sciences and Arts, Podgorica, Montenegro

Academician Prof. Dr Slobodan Markovic, Serbian Academy of Sciences and Arts, Novi Sad, Serbia

Prof. dr Aleksey Andreev, Rector of the Perm State Agro-Technological University, Russia

Prof. dr Nikolay I. Bukhtoyarov, Rector, Voronezh State Agricultural University named after Peter The Great, Russia

Prof. dr Sasa Orlovic, Vice Rector of the University of Novi Sad, Serbia

**Prof. dr Sinisa Berjan,** Vice-rector, Science, Res.&Inn., University of East Sarajevo, **RoSrpska, Bosnia & Herzegovina Danijel Vincek**, Botanical garden Dulovine, Kolasin, **Montenegro** 

Prof. dr. Paolo Billi, International Platform for Dryland Research and Education, University of Tottori, Japan

Prof. dr Radovan V. Pejanovic, Faculty of Agriculture, University of Novi Sad, Serbia

Prof. dr. h.c. Radu E. Sestras, Faculty of Horticult., Univ. of Agric. Sci. and Veterinary Medicine Cluj-Napoca, Romania

Prof. Ahmed Boukdir, Faculty of sciences and technology, University of Sultan Moulay Slimane, Beni Mellal, Morocco

Prof. dr. Marx Leandro Naves Silva, Department of Soil Science, Federal University of Lavras, Brazil

Prof dr Lazer Petro Narcisovič, Kherson state agricultural university, Ukraine

Academician Prof. dr Dusan Kovacevic, Faculty of Agriculture, University of Belgrade, Serbia

Academician Prof. dr Dragutin A. Đukić, Faculty of Agriculture, Čačak, University of Kragujevac, Serbia

Acad. Prof. dr Novo Przulj, Faculty of Agriculture, University of Banjaluka, Republic of Srpska, Bosnia & Herzegovina

Acad. Svetimir Dragovic, International Technology & Management Academy; Engineering Academy of Serbia

Prof. Ordan Chukaliev, Faculty of Agric. Sciences and Food, Ss. Cyril and Methodius University in Skopje, Macedonia

Prof. Dr Dragi Dimitrievski, Faculty of Agric. Sciences & Food, Ss. Cyril and Methodius University in Skopje, Macedonia

Prof. dr. Drago Cvijanovic, Faculty of Hotel Management & Tourism, Vrnjačka Banja, Univ. of Kragujevac, Serbia

Prof. dr. Ljubomir Pejovic, Podgorica, Montenegro

Prof. dr. Natalija Perovic, Podgorica, Montenegro

Prof. dr. Stanka Filipovic, Podgorica, Montenegro

 ${\bf Prof.\ dr.\ Nikola\ Adzic},\ {\bf Podgorica},\ {\bf Montenegro}$ 

Prof. dr. Zora Vucinic, Podgorica, Montenegro

Prof. dr. Mihailo Buric, Podgorica, Montenegro

Prof. dr. Budimir Fustic, Podgorica, Montenegro

Bozidar Jaredic, Podgorica, Montenegro

Marta Nikolic, Economist, Podgorica, Montenegro

Prof dr Hamid Custovic, Faculty of Agriculture and Food Science, University of Sarajevo, Bosnia and Herzegovina

Prof dr Muhamed Brka, Faculty of Agriculture and Food Science, University of Sarajevo, Bosnia and Herzegovina

Prof. dr. Dragoljub Mitrovic, Biotechnical faculty, University of Montenegro

Prof. dr. Dragan Rudic, Faculty of Agriculture, University of Belgrade, Serbia

Prof. dr Ivan Simunic, University of Zagreb, Faculty of Agriculture, Amelioration, Zagreb, Croatia

Prof. dr Milan Medarevic, University of Belgrade, Faculty of Forestry, Serbia

Prof. dr Vojislav Djekovic, University of Belgrade, Faculty of Forestry, Serbia

Prof. dr Stanimir Kostadinov, University of Belgrade, Faculty of Forestry, Serbia

Prof. dr. S.H.R. Sadeghi, President of the Watershed Management Society of Iran

Emeritus Prof. dr Branka Lazic, Faculty of Agriculture, University of Novi Sad, Serbia

#### Milutin Simovic, Minister of Agriculture & Rural Development, Montenegro

(12.2016 - ongoing; 6.2009 - 12.2010; 2.2008 - 6.2009; 11.2006 - 2.2008;

1.2003 - 11.2006; 7.2001 - 1.2003; 7.1998 - 7.2001; 2.1998 - 7.1998)

**Budimir Mugosa**, Minister of Agriculture & Rural Development, **Montenegro** (06.2016 – 12.2016)

**Petar Ivanovic**, Minister of Agriculture & Rural Development, **Montenegro** (12.2012 – 06.2016)

**Tarzan Milošević**, Minister of Agriculture & Rural Development, **Montenegro** (29.12.2010 – 4.12.2012)

Radivoje Rasovic, Minister of Agriculture, Forestry & Water, Montenegro

(1.2.1994 - 24.12.1996; 24.12.1996 - 5.2.1998)

**Branko Abramovic**, Minister of Agriculture, Forestry & Water, **Montenegro** (15.02.1991. – 5.03.1993; 5.03.1993 – 12.1993)

#### Scientific Committee

#### Velibor Spalevic, Chairman of the Conference Scientific Committee

Faculty of Philosophy, Geography, University of Montenegro

Predrag Jovanic, The Institute for Multidisciplinary Research, University of Belgrade, Serbia

Milic Curovic, Biotechnical Faculty, University of Montenegro, Montenegro

Devraj Chalise, School of Environmental and Rural Science, University of New England, Australia

Goran Skataric, University of Donja Gorica, Podgorica, Montenegro

Paolo Billi, International Platform for Dryland Research and Education, University of Tottori, Japan

Paolo Ciavola, Coastal Dyn. & Geohazards, Dep. of Physics and Earth Sciences, University of Ferrara, Italy

Nebojsa Menkovic, Institute for Medicinal Plants Research 'Dr Josif Pancic', Serbia

Zoran Jovovic, Biotechnical Faculty, University of Montenegro, Montenegro

Marx Leandro Naves Silva, Department of Soil Science, Federal University of Lavras, Brazil

Radu E. Sestras, Fac. of Hort., Univ. of Agricultural Sciences and Veterinary Medicine Cluj-Napoca, Romania

Dragan Radanovic, Delegation of the European Union to Montenegro, European Commission, Brussels, EU

Abdulvahed Khaledi, Dep. of Watershed Management Eng, Fac. Natural Resources, Tarbiat Modares, Iran

Matija Zorn, Dep of Ph. Geography, A.Melik Geo Inst., Res. Centre of the Slovenian Acad of Sci & Arts, Slovenia

Sandun Senarath, Department of Botany, University of Sri Jayewardenepura, Nugegoda, Colombo, Sri Lanka

Tihomir Florijancic, University of Osijek, Faculty of Agriculture, Croatia

Drago Perko, Anton Melik Geographical Institute, Res. Centre of the Slovenian Academy of Sci & Arts, Slovenia

Sasa Orlovic, Institute of Lowland Forestry and Environment, Novi Sad, Serbia

Ljiljana Keca, University of Belgrade, Faculty of Forestry, Serbia

Alenka Fikfak, University of Ljubljana, Faculty of Architecture, Ljubljana, Slovenia

Myriel Milicevic, Design depart., University of Applied Sciences Potsdam, Fachhochschule Potsdam, Germany

Vjekoslav Tanaskovik, Faculty of Agric. Sci. and Food, Ss. Cyril and Methodius Univ. in Skopje, Macedonia

Aleksandr L. Zhelyaskov, Perm State Agro-Technological University, Russia

Ahmed Boukdir, Faculty of sciences and technology, University of Sultan Moulay Slimane, Beni Mellal, Morocco

Sead Sabanadzovic, Dep. of Biochemistry, Mol. Biol., Entom. & Plant Path., Mississippi State University, USA

Milena Moteva, Univ. ACG, Geodesy, Dep. of Land Management & Agric. Dev., Sofia, Bulgaria

Hamid El Bilali, CDR, University of Natural Resources and Life Sciences (BOKU), Vienna, Austria

Noureddin Driouech, Coordinator of MAIB Alumni Network, Mediterranean Agronomic Institute, Bari, Italy

Yalcin Kaya, The Director of the Plant Breeding Research Center, University of Trakya, Turkey

Mile Markoski, Faculty of Agric. Sciences and Food, Ss. Cyril and Methodius University in Skopje, Macedonia

Zeljko Dolijanovic, Faculty of Agriculture, University of Belgrade, Serbia

Svetislav G. Popovic, Faculty of Architecture, University of Montenegro

Goran Barovic, Faculty of Philosophy, Geography, University of Montenegro

Nadezhda L. Kolyasnikova, Perm State Agro-Technological University, Russia

Aleksandra Martinovic, University of Donja Gorica, Podgorica, Montenegro

Mariya A. Kondratieva, Perm State Agro-Technological University, Russia

Nataliya M. Mudrykh, Perm State Agro-Technological University, Russia

Mirjana Jankulovska, Faculty of Agric. Sciences and Food, Ss. Cyril and Methodius Univ. in Skopje, Macedonia

Katarina Savikin, Institute for Medicinal Plants Research 'Dr Josif Pancic', Serbia

Koco Porchu, Faculty of Agric. Sciences and Food, Ss. Cyril and Methodius University in Skopje, Macedonia

Aleksej Lukin, Voronezh State Agricultural University named after Peter The Great, Russia

Momcilo Radulovic, Biotechnical Faculty, University of Montenegro, Montenegro

Ranko Popovic, Biotechnical Faculty, University of Montenegro, Montenegro

Marjan Kiprijanovski, Faculty of Agric. Sciences & Food, Ss. Cyril and Methodius Univ. in Skopje, Macedonia

Saja Kosanovic, Faculty of Technical Sci. - Architecture, University of Pristina settled in K. Mitrovica, Serbia

Marina Nacka, Faculty of Agric. Sciences and Food, Ss. Cyril and Methodius University in Skopje, Macedonia

Silvana Manasievska Simiki, Faculty of Agric. Sci and Food, Ss. Cyril & Methodius Univ. in Skopje, Macedonia

Branislav Vlahovic, Faculty of Agriculture, University of Novi Sad, Serbia

Otilija Sedlak, Faculty of Economics of the University of Novi Sad, Serbia

Svetlana A. Semakova, Perm State Agro-Technological University, Russia

Marija Kostic, Faculty of Hotel Management & Tourism, Vrnjačka Banja, Univ. of Kragujevac, Serbia

Romina Kabranova, Faculty of Agric. Sci. and Food, Ss. Cyril and Methodius University in Skopje, Macedonia

Miroslav Cizmovic, Biotechnical Faculty, University of Montenegro, Montenegro

Mirko Knezevic, Biotechnical Faculty, University of Montenegro, Montenegro

Snjezana Hrncic, Biotechnical Faculty, University of Montenegro, Montenegro

Sanja Radonjic, Biotechnical Faculty, University of Montenegro, Montenegro

Ardian Maci, Faculty of Agriculture and Environment, Agricultural University of Tirana, Albania

Rajko Novicevic, Faculty of Business Economy, Bar, Montenegro

Shkelqim Karaj, Universität Hohenheim, Agricultural Engineering in Tropics and Subtropics, Germany

Ataollah Kavian, Sari Agricultural Science and Natural Resources University, Iran

Enike Gregoric, Faculty of Agriculture, University of Belgrade, Serbia

Nevenka Djurovic, Faculty of Agriculture, University of Belgrade, Serbia

Bosko Gajic, Faculty of Agriculture, University of Belgrade, Serbia

Ruzica Stricevic, Faculty of Agriculture, University of Belgrade, Serbia

Naser Sabaghnia, University of Maragheh, Iran

Zeinab Hazbavi, Dep. of Watershed Management Engineering, Fac. Natural Resources, Tarbiat Modares, Iran

Vuceta Jacimovic, Biotechnical Faculty, University of Montenegro, Montenegro

Mico Oljaca, Faculty of Agriculture, University of Belgrade, Serbia

Snezana Oljaca, Faculty of Agriculture, University of Belgrade, Serbia

Gojko Nikolic, Faculty of Philosophy, Geography, University of Montenegro

Mladjen Jovanovic, Department of Geography, Faculty of Science, University of Novi Sad, Serbia

Tatiana N. Sivkova, Perm State Agro-Technological University, Russia

Zeljko Spalevic, University of Donja Gorica, Podgorica, Montenegro

Filip Djokovic, Singidunum University, Serbia

Darko Brajuskovic, Institute of Hidrometeorology and Seismology, Podgorica, Montenegro

Vera Popovic, Institute of Field and Vegetable Crops, Novi Sad, Serbia

Vojislav Mihailovic, Institute of Field and Vegetable Crops, Novi Sad, Serbia

Ana Marjanovic Jeromela, Institute of Field and Vegetable Crops, Novi Sad, Serbia

Mladen Perazic, Mediteran University, Podgorica, Montenegro

Igor Zekanovic, Faculty of Natural Sci. & Mathematics, Univ. of Banja Luka, RoSrpska, Bosnia and Herzegovina

Ana Miljkovac, Faculty of Philosophy, University of Montenegro

Biljana Kuzmanovska, Faculty of Agric. Sci. & Food, Ss. Cyril and Methodius University in Skopje, Macedonia

Aleksandar Asonja, Energy Agency City of Novi Sad, Serbia

Aleksandar Odalovic, Biotechnical Faculty, University of Montenegro, Montenegro

Sonja Srbinovska, Faculty of Agric. Sci. & Food, Ss. Cyril and Methodius University in Skopje, Macedonia

Tatjana Perovic, Biotechnical Faculty, University of Montenegro, Montenegro

Oksana Kliachenko, Faculty of Plant Prod., Biotechnology and Ecology, Univ of Life & Env. Science of Ukraine

Melisa Ljusa, Faculty of Agriculture and Food Science, University of Sarajevo, Bosnia and Herzegovina

Jasminka Zurovec, Faculty of Agriculture and Food Science, University of Sarajevo, Bosnia and Herzegovina

## Organizing Committee Petar Djurisic, Director, Green Room, Podgorica, Montenegro

Goran Barovic, Dean of the Faculty of Philosophy, Geography, University of Montenegro Svetislav G. Popovic, Dean of the Faculty of Architecture, University of Montenegro Vjekoslav Tanaskovik, Dean, Agr. Sci. & Food, Ss. Cyril and Methodius Univ. in Skopje, Macedonia Oksana V. Fotina, Dir., International Relations Center, Perm State Agro-Technological Univ, Russia Radovan Pejanovic, President of the Balkan Scientific Association of Agricultural Economists, Serbia Miomir Jovanovic, Dean of the Biotechnical Faculty, University of Montenegro Luka Mitrovic, Director, Institute of Hidrometeorology and Seismology, Podgorica, Montenegro Goran Trbic, Faculty of Natural Sci. & Math., Univ. of B. Luka, R. Srpska, Bosnia & Herzegovina Elvir Klica, National Parks of Montenegro, Podgorica, Montenegro

Dejana Stanic, Dean, Faculty of Agric, Univ.of East Sarajevo, R. Srpska, Bosnia and Herzegovina Srdjan Lalic, Dean, Faculty of Ecc. Brcko, Univ. of East Sarajevo, R.Srpska, Bosnia&Herzegovina Aleksandar Grubor, Dean of the Faculty of Economics in Subotica, University of Novi Sad, Serbia Otilija Miseckaite, Water Resources Engineering Inst., Aleksandras Stulginskis University, Lithuania Vera Popovic, Institute of Field and Vegetable Crops, Novi Sad, Serbia

Miljan Lekovic, Faculty of Hotel Manag. & Tourism, Vrnjačka Banja, Univ. of Kragujevac, Serbia Enisa Omanovic-Miklicanin, Faculty of Agric. & Food Sci, Univ of Sarajevo, Bosnia & Herzegovina Sabrija Cadro, Faculty of Agriculture and Food Science, Univ. of Sarajevo, Bosnia & Herzegovina Ahmed Dzubur, Dean of the Agromediterranean F., Univ Dž. Bijedić, Mostar, Bosnia & Herzegovina Larisa Prysiazhniuk, Head of Dep, Ukrainian Institute for Plant Variety Examination, Kiev, Ukraine Hasan Ramovic, director, Put, Bijelo Polje, Montenegro

Aleksandar Stijovic, The Institute of Forestry, Podgorica, Montenegro

Zeljko Vidakovic, Director, Ekoplant, Podgorica, Montenegro

Sreten Grebovic, Faculty of Business Management, Bar, Montenegro

Filip Djokovic, Singidunum University, Serbia

Blazan Petrovic, PAXEL doo Belgrade, Serbia

Danijela Radec, National Association of Sommeliers of Montenegro

Marinko Barjaktarovic, direktor, Eko Ekvilibrijum d.o.o. Berane, Montenegro

Ana Miljkovac, LIFT, Niksic, Montenegro

Saveta Cukic Laban, JUOS Radomir Mitrovic, Berane, Montenegro

Jelena Diukanovic, Museums and galleries, Niksic, Montenegro

Mirko Jakovljevic, Director, Lider Mont Media Kolasin, Montenegro

Agnieszka Klasa, Center for self-development and advancement of society, Montenegro/Poland

#### **FOREWORD**

Green Room Sessions International Conference aims to be platform for international scientific discussion on agriculture in general as well as agriculture in conjunction with economics and ecology, food and nutrition science and technology, rural development, environment and forestry. Green Room Sessions brings together and is connecting research, industry, social concepts and practices. The scientific core is based on applying Eco-Eco (ecological-economical) concepts and principles to optimize interactions between natural, social and built components of the rural environments: plants, animals, soil, water, air, humans and man-made structures. In addition, Green Room Sessions placed social issues at the centre of solutions for a sustainable and fair food system. Green Room Sessions are targeting to multiple benefits to society and the environment, by bringing people together and providing them the opportunity to sit together and exchange ideas and connect the business.

In November 2018, the 1st Green Room Sessions International Conference provided an opportunity for sharing experiences and builds the evidence base on agriculture, forestry, human interactions and built environment, as well as reaching a consensus on the priorities for achieving more sustainable food systems. It also endorsed Institutional roles of National services, Regional and International organisations in supporting further implementation and promotion of Eco-Eco (ecological-economical) concepts and principles.

Dialogue between the participants targeted:

- Enhancing smallholder and family farmers' adaptation and resilience to the impacts of climate change;
- Improving nutrition including through more diversified diets;
- Protecting and enhancing agro-biodiversity in support of ecosystem services;
- Improving livelihoods in rural areas;
- National Food Wealth, the holy trinity: agriculture, economics and ecology (a x  $e^2$ );
- Mutual interconnections and how to deal with them and how this mix influence National Food Wealth and National Health.

achieving a transformative change in agricultural practices towards sustainable development.

The Green Room Sessions International Conference synthesized and build on the outcomes of the regional meetings, and provided an opportunity to share and discussed policies that can help scale-up and scale-out agriculture, rural development, agroecology, nutrition in order to achieve the Sustainable Development Goals.

The Symposium also moved the topic of agriculture and rural development from dialogue to activities at the regional and country level by complementing on-going initiatives to integrate biodiversity and ecosystem services in agriculture, identifying opportunities for synergies with National Strategic Programmes and Regional Initiatives, and facilitating regional and International cooperation between the scientists and business.

Green Room Sessions International Conference as a final goal is looking forward to assist people from the rural areas, related business, agriculture and allied sectors to take the advantage of:

- Natural resources, secure access to land and water, and improved natural resource management and conservation practices;
- Improved agricultural technologies and effective production services;
- Linking the interested parties with financial services;
- Transparent and competitive markets for agricultural inputs;
- Opportunities for rural off-farm employment and enterprise development;
- Local and national policy and programming.

We launch this with the aim of unlocking innovative, integrated, multidisciplinary science and technology with activation of all dimensions of sustainable development goals for all the participants.

In this Book of Proceedings we published part of the original scientific full papers presented at the Conference. The other part is provided for publication at the journal Agriculture and Forestry (ISSN 0554-5579, Printed; ISSN 1800-9492, Online), all based on the requests of the authors who participated at the Conference.

Velibor SPALEVIC Editor-in-Chief Chairman of the Scientific Committee

Vera POPOVIC
Co-Editor
For the Scientific & Organising Committee

Petar DJURISIC
President of the Organising Committee
Greenroom, Podgorica, Montenegro

Radovan PEJANOVIC Member of the Editorial board For the Scientific & Honorary Committee

#### **PREDGOVOR**

Međunarodna konferencija Green Room Sessions imala je za cilj da bude platforma međunarodne naučne diskusije o poljoprivredi uopšte, poljoprivredi vezano sa pitanjima ekonomije i ekologije, nauci o tehnologiji hrane i prehrane, ruralnim razvojem, životnom sredinom i šumarstvom. Green Room Sessions okupila je i povezivala nauku, istraživanje, industriju, društvene koncepte i prakse.

Naučni principi zasnovani su na primjeni Eko-Eko (ekološko-ekonomskih) koncepata za optimizaciju interakcije između prirodnih, socijalnih i komponenti ruralnih sredina: biljka, životinja, zemljište, voda, vazduh, kao i strukture koje su nastale kao plod rada ljudi. Pored toga, Green Room Sessions je težila da postavi društvena pitanja u centar rješenja održivog i fer sistema proizvodnje hrane. Brojni sastanci održani su tokom Konferencije sa ciljem da imaju višestruke koristi za društvo i sredinu koja nas okružuje, približavajući tokom ovih komunikacija ljude jedne drugima, pružajući im priliku da međusobno komuniciraju na jednom mjestu, razmenjuju ideje i povezuju poslovanja.

U novembru 2018. godine, Green Room Sessions International Conference pružila je mogućnost razmjene iskustava potvrđenih praksi u poljoprivredi, šumarstvu, interakcijama čovjeka i njegovog okruženja, struktura koje su nastale kao plod rada ljudi. Ovo je postignuto organizovanjem susreta naučnika i stručnjaka iz ove oblasti, te razmjenom iskustava, doprinoseći unapređenju održivijeg sistema proizvodnje i prerade. Iskustva drugih koji su gostovali istakli su značaj institucionalne uloge nacionalnih službi, regionalnih i međunarodnih organizacija u podršci i daljoj promociji eko-eko (ekološko-ekonomskih) koncepata i principa.

Dijalog između učesnika bio je usmjeren na:

- Prilagođavanje malih proizvođača i porodičnih farmera i jačanje njihove otpornosti na uticaj klimatskih promjena;
- Zaštitu i unapređenje agro-biodiverziteta, podrške održivosti ekosistema;
- Poboljšanje životnih uslova, životnog standarda u ruralnim područjima;
- "Sveto trojstvo": poljoprivreda, ekonomija i ekologija (a x e²), njihove međusobne veze i kako se baviti njima, te kako ovaj miks međusobnih relacija utiče na proizvodnju domaće hrane i zdravlje nacije;

- Postizanje tranzicionih promjena u poljoprivrednim praksama u skladu sa principima održivog razvoja.

Konferencija je dijelom uradila sintezu i nadograđivala rezultate regionalnih sastanaka i pružiti priliku da podijeli svoja iskustva sa učesnicima, diskutuje o politikama koje mogu pomoći u povećanju poljoprivredne proizvodnje, ruralnog razvoja, agroekologije, ishrane kako bi se postigli ciljevi održivog razvoja.

Konferencija je takođe inicirala pomjeranje teme poljoprivrede i ruralnog razvoja od dijaloga ka konkretnim aktivnostima na lokalnom i regionalnom nivou, tražeći rješenja očuvanja biodiverziteta u poljoprivredi, identifikujući mogućnosti za sinergiju sa nacionalnim strateškim programima i regionalnim inicijativama, pospješujući regionalnu i međunarodnu saradnju između naučnika i biznisa.

Učesnici na Konferenciji tražili su načine da se pruži pomoć ljudima iz ruralnih područja, njihovim malim biznisima, poljoprivredi i srodnim sektorima da iskoriste prednosti:

- Prirodnih resursa, bezbjednog pristupa zemljištu i vodama, poboljšavajući prakse upravljanja prirodnim resursima i pristupe konzervacije;
- Poboljšane poljoprivredne tehnologije i efikasnijih proizvodnih usluga;
- Povezivanje zainteresovanih strana sa finansijskim servisima;
- Mogućnosti za zapošljavanje i razvoj preduzeća u ruralnim područjima;
- Lokalnih i nacionalnih politika i programiranja.

Ovo inicijativa je pokrenuta sa ciljem otvaranja i susreta sa inovativnom, integrisanom, multidisciplinarnom naukom i tehnologijom uz aktiviranje svih dimenzija ciljeva održivog razvoja za sve učesnike.

U ovom Zborniku radova objavili smo dio originalnih naučnih radova (*Full papers*) predstavljenih na Konferenciji. Drugi dio je proslijeđen za objavljivanje časopisu Poljoprivreda i šumarstvo (ISSN 0554-5579, print; ISSN 1800-9492, online), sve na osnovu zahtjeva autora koji su učestvovali na Konferenciji.

Velibor SPALEVIĆ Glavni i odgovorni urednik Predsjednik Naučnog odbora Konfrencije

Vera POPOVIĆ Kourednik U ime Naučnog i Organizacionog odbora Petar DJURIŠIĆ Predsjednik Organizacionog odbora Green Room, Podgorica, Crna Gora

Radovan PEJANOVIĆ Član uredništva U ime Naučnog i Počasnog odbora

### CONTENT

## Plant production, Plant protection and food safety, Genetic resources

Alfalfa response to seed pre-inoculation with Sinorhizobium meliloti Dušica Delić, Olivera Stajković-Srbinović, Boris Nerandžić, Djordje Kuzmanović, Nataša Rasulić, Aneta Buntić17
Effects of fertilization on production traits of winter wheat Vera Đekić, Jelena Milivojević, Vera Popović, Zoran Jovović, Snežana Branković, Dragan Terzić, Vladan Ugrenović25
Particularities of propagation of the Lonicera caerulea through the cultivation <i>in</i> vitro  Kliachenko O., Lobova O., Oliinyk O., Grynchak M
Effects of irrigation on production and quality of dill, marigold and basil in different weather conditions Livija Maksimović, Dušan Adamović, Borivoj Pejić, Svetimir Dragović, Ana Marjanović-Jeromela, Dragana Milošević, Ksenija Mačkić, Vera Popović
Effects of quantity of nitrogen on maize yield Ljubica Šarčević-Todosijević, Ljubiša Živanović, Vera Popović, Dragutin Đukić, Sanja Mikić, Velibor Spalevic, Ksenija Mačkić45
Effects of nutrition on biomass production of Lacy phacelia in organic cropping system Vera Popović, Vojislav Mihailović, Željko Lakić, Savo Vučković, Ljubiša Kolarić, Goran Jaćimović, Ljubica Šarčević Todosijević, Vera Đekić
Effects of foliar nutrition on production biomass of broomcorn millet ( <i>Panicum</i> miliaceum L.) Vera Popović, Sanja Mikić, Zoran Jovović, Milić Čurović, Maja Ignjatov, Vera Rajičić, Jela Ikanović, Livija Maksimović
Composition Investigation of the Sunflower Seed of the Latest NS Confectionary Hybrids Ranko Romanić, Tanja Lužaić, Nada Grahovac, Nada Hladni, Snežana Kravić and Zorica Stojanović
Study on Dimensions of the Sunflower Seeds of the Latest NS Confectionary Hybrids Ranko Romanić, Tanja Lužaić, Nada Grahovac, Nada Hladni, Snežana Kravić and Zorica Stojanović

Evaluation of genetic diversity of sugar beet ( <i>Beta vulgaris</i> L.) inbred lines by SSR markers	
Larysa Prysiazhniuk, Mykola Roik and Yuliia Shytikova	78
Identification of drought-resistant maize lines by DNA markers	
Larysa Prysiazhniuk, Yirii Honcharov and Oksana Piskova	88
Chemical characteristics of fruit of some genotypes of wild apple (Malus sylvestris Miller) grown in conditional of Bijelo Polje	
Gordana Šebek and Stoja Lutica	94
Yield components and genetic potential of two-rowed barley Kamenko Bratković, Vera Đekić, Kristina Luković, Dragan Terzić, Zoran Jovović,	
Vera Popović	99
Environment protection, natural resources management,	
Rural development and Forestry	
Calculation of Soil erosion intensity and Runoff in the S7-8-int basin of the Shirindareh Watershed in Iran	
Morteza Behzadfar, Velibor Spalevic, Paolo Billi, Devraj Chalise, Ronaldo Luiz	
Mincato, Sabri El Mouatassime, Paul Sestras, Patrick Kalonde	111
Floods on the River Beljanica in May 2014	
Aleksandar Andjelkovic, Vojislav Djekovic, Milorad Janic, Vesna Nikolic, Marina	
Vukin	118
Content of the trace elements in corn grown on the territory of the municipality of Mali Zvornik in the Republic of Serbia	
Zoran Dinić, Jelena Maksimović, Ferdinando Margarino, Aleksandra Stanojković-	
Sebić, Radmila Pivić	130
Water quality assessment for irrigation from the South Morava River	
Radmila Pivić, Zoran Dinić, Jelena Maksimović, Aleksandra Stanojković-Sebić	138
The importance of amelioration on soil and water resources in the rural areas of Turkey	
Öner Çetin, Neşe Üzen, Kenan Koca	146
Optimization of indicators for assessment of agroecosystems condition under the	
DPSIR approach	
Arseni Karanov	152

The frequency occurrence of the drought in Montenegro in the period from 1981 to 2017
Luka Mitrovic, Mirjana Ivanov, Slavica Micev, Nataša Pažin, Miraš Drljević, Tonka Popović
The Energy-Smart Public Building in the City of Novi Sad Aleksandar Ašonja
Dynamics of precipitation's acidity at Montenegro area Pavle Đurašković, Aleksandar Kojović
Assessment of accuracy of agricultural land for the Southern Ukrainian organic land
Peter Laser, Alexei Morozov, Vladimir Morozov, Margarita Stepanova184
Ecological Culture and Media Mirko Jakovljevic
Monitoring and Analysis of the Geodiversity and Biodiversity Status of the Skadar Lake Goran Grozdanić, Gojko Nikolić, Goran Barović, Misko Milanović, Goran Škatarić
Control measures in the protected areas of Montenegro and their impact on the state of natural values  Veselin Luburić, Vladimir Stojanović
The War Crime of Anticipatory Collateral Damage to the Natural Environment - Critical Inquiries into its Anthropocentric Incongruence Yutaka Arai-Takahashi
The current development level of sustainable rural tourism in Montenegro Sveto Živković, Luka Mitrović
Establishment and development of credit cooperatives in Bulgaria  Todor Stoyanov
Plant species diversity and structural characteristics of the old-growth spruce-fir- beech forests in Biogradska Gora Milić Čurović, Aleksandar Stijović, and Slobodan Stijepović
The Automatization of Forest Management Works in Romania using GIS and UAV Photogrammetry Tudor Sălăgean, Elemer-Emanuel Şuba, Jutka Deak, Silvia Chiorean, Ioana Delia Pop, Florica Matei
1 Op, 1 torica intact

Green Room Sessions 2018 International GEA (Geo Eco-Eco Agro) Conference - **Book of Proceedings** 

Original Scientific paper

## Effects of quantity of nitrogen on maize yield

Ljubica ŠARČEVIĆ-TODOSIJEVIù\*, Ljubiša ŽIVANOVIò, Vera POPOVIó\*, Dragutin ĐUKIĆ⁴, Sanja MIKIó, Velibor SPALEVIC⁵, Ksenija MAČKIĆ⁶

- <sup>1</sup> High Medical sanitary School of Professional Studies "Visan", Tošin b.,7a, Zemun, Serbia
- <sup>2</sup>University of Belgrade, Faculty of Agriculture, Nemanjina, 6, Zemun, Belgrade, Serbia
- <sup>3</sup> Institute of Field and Vegetable Crops, Maksim Gorky 30, Novi Sad, Serbia
- <sup>4</sup>University of Kragujevac, Faculty of Agronomy Čačak, Cara Dušana, 34, Čačak, Serbia
- <sup>5</sup>University of Montenegro, Geografy Department of the Faculty of Philosophy, Nikšić, Montenegro
- <sup>6</sup> University of Novi Sad, Faculty of Agriculture, Novi Sad, Serbia;
- \* Correspondence: ljsarcevic@gmail.com; Tel.: +381 64 4122174

#### Abstract

Maize is one of the leading farm cultures in the world. The primary aim of maize production is to gain high and steady incomes. Varying of the incomes of the grown plants is seen in a great measure both as a consequence of weather conditions and applied quantities of nitrogen fertilizer. In this work, in a two-year period, it is examined how the increasing quantities of nitrogen fertilizer influence the parameters of productivity, that is, morphological features and components of the incomes of Serbian maize hybrid. The examinations were conducted on the locality of Eastern Srem (88 m.s.l.). The examinations covered the following systems of maize fertilization: control (without fertilizer), P% K60 N30 kg ha-1 (basic, phon), P% K60 N60 kg ha-1, P% K60 N120 kg ha-1, P% K60 N180 kg ha-1. Within the morphological features of maize, it is examined the influence of the nitrogen fertilizer on the growth of a plant and the number of leaves on a corncob, and within the components of the income, its influence on the length of a cob, the number of grain rows and the number of grains on a cob. The results of our research have shown that, on the average for the examined factors, the height of a plant was 276.1 cm. On the average for the years, along with the increasing quantities of nitrogen up to 120 kg ha<sup>-1</sup>, the height of a plant increased, and then it declined. The differences in the height of a plant between treatments were statistically significant and very significant. The number of leaves on a stalk, on the two-year average was 14.0. On the average for the years, along with the increase of nitrogen quantities up to 120 kg ha-1, the number of leaves increased, and then it declined. Statistically significant differences were got between controls and quantities of 60 and 120 kg ha<sup>-1</sup> N, as well as of phon and 120 kg ha-1 of nitrogen. Approximately for the examined factors, the length of the corncob was 20.0 cm. On the average for the years, while the quantities of nitrogen up to 120 kg ha<sup>-1</sup> increased, the length of a cob grew, and then it stagnated. The shortest length of a cob (18.8 cm) belonged to the controlled plants, and the longest ones (20.6 cm) were those of the plants with the applied of 120 kg/ha-1 N. The differences between treatments were statistically very significant. On the average, for the covered factors, the number of grain rows on the cob was 15.2. Between the years of the examinations, some significant difference in the number of grain rows on the cob was not noticed. On the other hand, nitrogen manifested a completely specific influence on this parameter of maize fertility. On the average, within one-year period, with the increase of nitrogen quantity up to 120 kg ha-1, the number of the grain rows increased, and then it stagnated. The differences between treatments were significant and very significant.

**Keywords:** fertilizer, maize productivity, climate conditions.

#### Introduction

Maize is one of the leading farm cultures in the world. The primary aim of maize production is to gain high and steady incomes. In order to achieve high incomes of growing plants, it is necessary to

apply agricultural measures in a right way. In that point, in a tecnology of maize production, the choice of hybrids and a proper mineral apply of nitrogen fertilizer has a special importance. (Stojaković et al. 1996; Popović, 2010; 2015; Živanović, 2005; Živanović et al. 2018; Stevanović et al. 2018). Mineral nitrogen nutrition is one of the most significant factors with its influence on productivity and features of plants. Optimal nitrogen nutrition has an influence on a development of the root system and overground biomass as well as on nutritive value of fruits (Glamočlija, 2004; Glamočlija et al. 2015; 2017; Đekić et al. 2014; 2015; Terzić et al. 2018; Božović et al. 2018). Numerous researches here and in the world confirmed that nitrogen mineral fertilizers in a great measure increases the income of maize grains (Brković, 1985; Hojka, 2004; Binder et al. 2000; Šarčević - Todosijević at al. 2016).

On the other hand, increased and uncontroled apply of nitrogen mineral fertilizers, leads to a plenty of phenomena as its consequence which are harmful for plants and the living environment. They include a lengthened vegetation period, a harvest period decrease, an increased sensitivity of plants to patogenic microorganisms and flattening. The apply of nitrogen in the quantities that surpass the needs of plants, leads to the increase of the level of nitrates in soil and their washing off into underground waters. (Schepers at al. 1991; Villar – Mir et al. 2002; Đukić et al. 2007; Glamočlija et al. 2015, 2017).

In this work, in a two-year period, on the locality of Eastern Srem, it is examined how the increasing quantities of nitrogen fertilizer influence of the productivity parameters, that is, morphological features and components of the incomes of Serbian maize hybrid.

#### Materials and Methods

A microfield testing station was set in Zemun Polje, on the locality of Eastern Srem, on 88 meters altitude. Varying of the incomes of the grown plants is seen in a great measure both as a consequence of weather conditions and applied quantities of nitrogen fertilizer. For undisturbed growth and development of maize, there is a requirement for convenient meteorological conditions, average air temperatures and good regime of rainfall during a vegetation period (Penney et al.; 1996; Schmidt et al., 2002). Eastern Srem is settled in the area of medium continental climate, between two big rivers, the Danube and the Sava. This area is specified by average annual temperature of 11.9°C and the quantity of rainfall is to be 638.3 mm. Winters are with approximate temperatures of 1.6°C and rainfall of 113.4 mm. Springs can be slightly colder (12.1°C) than autumns (12.4°C), but with a higher quantity of rainfall (159.0 mm in relation to 152.1 mm). Average summer temperatures are 21.4°C and rainfall of 213.8 mm. During the research, field micro tests are used, conducted by the split plots method in four goes. The applied technological practices on the examinations was standard, as for regular maize production (Šarčević-Todosijević et al., 2016). The examinations covered the following systems of maize fertilization:

```
\begin{split} B_1 - Control & \text{ (without fertilizer),} \\ B_2 - P_{90} & K_{60} & N_{30} & kg & ha^{-1} \text{ (basis, phon),} \\ B_3 - P_{90} & K_{60} & N_{60} & kg & ha^{-1}, \\ B_4 - P_{90} & K_{60} & N_{120} & kg & ha^{-1}, \\ B_5 - P_{90} & K_{60} & N_{180} & kg & ha^{-1}. \end{split}
```

Within the parameters of productivity, it is examined how the increasing quantities of nitrogen fertilizer influence on morphological features and components of the incomes of Serbian maize hybrid. Within the morphological features of maize, it is examined the influence of the nitrogen fertilizer on the growth of a plant and the number of leaves on a maizecob, and within the components of the income, its influence on the length of a cob, the number of grain rows and the number of grains on a cob.

Statistical Analysis

On the basis of achieved research results the usual variation all statistical indicators were calculated: average values. Experimental data were analyzed by descriptive and analytical statistics using the program STATISTICA, 2012. All evaluations of significance were made on the basis of the ANOVA test at 5% and 1% significance levels.

#### **Results and Discussion**

The results of our research have shown that the applied quantity of nitrogen had significant impact on maize yield. The differences between treatments were statistically significant and very significant. On the average for the examined factors, the height of a plant was 276.1 cm (table 1).

Table 1. The influence of the nitrogen fertilizer on the growth of a plant, cm

Quantity of	Year	r (A)	Average	Index (%)
nitrogen (B)	First	Second	Tiverage	maex (70)
1	273.1	265.1	269.1	100.0
2	279.3	267.8	273.6	101.7
3	280.8	271.1	276.0	102.5
4	285.8	278.3	282.1	104.8
5	287.0	272.4	279.7	103.9
Average	281.2	270.9	276.1	-
Index (%)	100.0	96.3	-	-
LSD	A	В	BxA	AxB
0.05	2.28	2.69	3.80	4.26
0.01	4.19	3.64	5.15	6.53

In the first year of the research, the measured height of a plant was 10.3 cm longer than in the second year of the research. The difference was statistically very significant. On the average for the years, along with the increasing quantities of nitrogen up to 120 kg ha-1, the height of a plant increased, and then it declined. The shortest height (269.1 cm) was measured among the plants on controled variations, while the longest one (282.1 cm) belonged to the plants treated by 120 kg ha-1 N. The differences in the height of a plant between treatments were statistically significant and very significant. Observing the years separately, it can be noticed that in the first year of the resrearch, with a higher quantity of rainfall, the height of a plant increased to the highest dose of nitrogen (180 kg ha-1), although the interaction was not statistically significant (table 1).

The number of leaves on a stalk, on the two-year average was 14.0 (table 2).

**Table 2.** The influence of the nitrogen fertilizer on the number of leaves

Quantity of	Year	Year (A)		
nitrogen (B)	First	Second	Average	Index (%)
1	14.1	13.6	13.9	100.0
2	14.2	13.7	14.0	100.7
3	14.3	13.8	14.1	101.4
4	14.5	13.8	14.2	102.2
5	14.3	13.7	14.0	101.1
Average	14.3	13.7	14.0	-
Index (%)	100.0	96.1	-	-

LSD	A	В	BxA	AxB
0.05	0.15	0.11	0.15	0.21
0.01	0.27	0.14	0.20	0.34

 $\textbf{Table 3.} \ \text{The influence of the nitrogen fertilizer on the length of a corn cob, cm}$ 

Quantity of	Year (A)			I I (0()
nitrogen (B)	First	Second	Average	Index (%)
1	19.6	18.0	18.8	100.0
2	20.0	18.8	19.4	103.2
3	20.8	19.6	20.2	107.4
4	21.4	20.6	21.0	111.7
5	21.2	19.9	20.6	109.3
Average	20.6	19.4	20.0	-
Index (%)	100.0	94.2	-	-

LSD	A	В	BxA	AxB
0,05	0.89	0.45	0.64	1.11
0,01	1.64	0.61	0.87	1.91

In the first year of the research, with a higher quantity of rainfall and lower temperature, a higher number of leaves for 0.6 was recorded in comparison to the second year of the research, which was drier and warmer. The difference was statistically very significant. On the average for the years, along with the increase of nitrogen quantities up to 120 kg ha<sup>-1</sup>, the number of leaves increased, and then it declined. The least number of leaves (13.9) was recorded on a variation without fertilizer and the most one (14.2) was recorded at a dose of 120 kg ha<sup>-1</sup> N. Statistically significant differences were got between controls and quantities of 60 and 120 kg ha<sup>-1</sup> N, as well as of phon and 120 kg ha<sup>-1</sup> of nitrogen. In the average as well as per years of the research, a similar tendency of nitrogen influence on the leaves of a stalk was manifested, but without a significant interaction.

Within the components of the maize income, it is examined the influence of the nitrogen fertilizer on the length of a cob, the number of grain rows and the number of grains on a cob.

Approximately for the examined factors, the length of the corn cob was 20.0 cm (table 3).

In the first year of the research, a length of a corn cob was for 1.2 cm longer in comparison to a corn cob in the second year. The difference was statistically significant. On the average for the years, while the quantities of nitrogen up to 120 kg ha-1 increased, the length of a cob grew, and then it stagnated. The shortest length of a cob (18.8 cm) belonged to the controlled plants, and the longest ones (20.6 cm) were those of the plants with the applied of 120 kg ha-1 N. The differences between treatments were statistically very significant (table 3).

On the average, for the covered factors, the number of grain rows on the cob was 15.2 (table 4).

Table 4. The influence of nitrogen fertilizer on the number of grain rows

Quantity of	of Year (A) Average	Index (%)		
nitrogen (B)	First	Second	Tivelage	maex (70)
1	14.4	14.9	14.7	100.0
2	14.7	15.0	14.9	101.4
3	15.1	15.3	15.2	103.8
4	15.7	15.7	15.7	107.2
5	15.6	15.5	15.6	106.1
Average	15.1	15.2	15.2	-
Index (%)	100.0	100.1	-	-

LSD	A	В	BxA	AxB
0,05	0.29	0.20	0.28	0.41
0,01	0.54	0.27	0.38	0.68

Between the years of the examinations, some significant difference in the number of grain rows on the cob was not noticed. On the other hand, nitrogen manifested a completely specific influence on this parameter of maize fertility. On the average, within one-year period, with the increase of nitrogen quantity up to 120 kg ha<sup>-1</sup>, the number of the grain rows increased, and then it stagnated. The differences between treatments were significant and very significant.

The number of grains was, on the average for the examined factors, 636.6 (table 5).

Table 5. The influence of nitrogen fertilizer on the number of grains on a cob

Quantity of	Year	Year (A)  Average In		Index (%)
nitrogen (B)	First	Second	Tivelage	maex (70)
1	583.1	585.7	584.4	100.0
2	620.0	622.2	621.1	106.3
3	650.4	654.1	652.3	111.6
4	678.7	659.2	669.0	114.5
5	659.0	653.1	656.1	112.3
Average	638.2	634.8	636.6	-
Index (%)	100.0	99.5	-	-

LSD	A	В	BxA	AxB
0,05	20.68	27.32	38.63	41.71
0,01	37.95	37.02	52.35	62.88

In the first year of the research, the number of grains on a cob was slightly higher than in its second year, but that difference was not justified. Opposite to that, additional nutrition with nitrogen manifested its influence on this component of the income. On the average for the years, along with the increase of nitrogen quantity up to 120 kg ha<sup>-1</sup>, the number of grains on a cob also increased, and then it mildly stagnated. The least number of grains on a corn cob (584.4) was registered on control, while the highest number (669.0) was registered due to fertilization with 120 kg ha<sup>-1</sup> N. However, a statistically justified difference was proved only with the use of 60 kg ha<sup>-1</sup> N. The interaction between the factors, considering the number of grains on a corn cob, was not determined (table 5).

The numerous researchers claim that the effect of the applied mineral fertilizers on the income and the quality of maize grains decreases with the increase of their quantity (Starčević et al. 1994; Blažić, 2006; Šarčević - Todosijević et al. 2016; Janković et al. 2018; Ikanović et al. 2018; Maksimović et al. 2018; Živanović et al. 2018). This noticed pattern was confirmed by the results of our research.

#### **Conclusions**

According to the results, there can be drawn the following conclusions.

Applied quantity of nitrogen had significant impact on maize yield. The differences between treatments were statistically significant and very significant.

On the average for the years, along with the increasing quantities of nitrogen up to 120 kg ha<sup>-1</sup>, the height of a plant, the number of leaves, the length of a cob, the number of the grain rows and the number of grains on a cob increased, and then declined.

According to the conducted research, it can be concluded that on the soil of "černozem" type and in the climate conditions of Eastern Srem, a proper nitrogen nutrition applied on the examined hybrid, implies the use of 120 kg ha<sup>-1</sup> N, on a phon 90 kg ha<sup>-1</sup> of phosphorus and 60 kg ha<sup>-1</sup> of potassium.

**Acknowledgments:** Experiment needed for this research is part of the projects: TR 31025 supported by the Ministry of Education, Science and Technological Development of the Republic of Serbia and FAO project, Redesigning the exploitation of small grains genetic resources towards increased sustainability of grain-value chain and improved farmers' livelihoods in Serbia and Bulgaria – GRAINEFIT.

**Conflicts of Interest:** The authors declare no conflict of interest.

#### References

- Binder, D. L., Sander, D. H., Walters, D. T. (2000): Maize response to time of nitrogen application as affected by level of nitrogen deficiency. *Agronomy Journal*, 92: 1228 1236.
- Blažić, M. (2006): The influence of different nitrogen fertilizers on the income and quality of maize grains, M.A. thesis, University of Belgrade, Faculty of Agriculture.
- Božović, D., Živanović, T., Popović, V. (2018): Stability of maize lines production parameters by GGE-biplot analysis. *VI Simpozijum Sekcije za oplemenjivanje organizama i IX Simpozijum Društva selekcionera i semenara RS*. 7-11.05.2018. p. 69-70. In Serbian.
- Brković, M. (1985): The influence of the increased quantities of NPK fertilizers on the income of some hybrid corn types grown in highland-mountainous region of FAR Kosovo. *Agrochemistry*, 4: 289 303.
- Dozet, G., Đukić, V., Miladinov, Z., Dozet, D., Đurić, N., Popović, V., Kaluđerović, D. (2018): Uticaj organskog đubriva i genotipa na prinos soje u suvom ratarenju po organskim principima gajenja. *Zbornik naučnih radova Instituta PKB Agroekonomik*, 24, 1-2: 145-152.
- Dekić V., Milovanović M., Popović V., Milivojević J., Staletić M., Jelić M., Perišić V. (2014): Effects of fertilization on yield and grain quality in winter triticale. *Romanian Agricultural Research*, 31: 175-183.
- Dekić V., Milovanović M., Milivojević J., Staletić M., Popović V., Simić D., Mitrović M. (2015): Impact of year and grain quality of winter wheat. Institute of PKB Agroekonomik, Belgrade, 21, 1-2: 79-86.
- Đukić, D., Jemcev, V., Kuzmanova, J. (2007): Biotechnology of Soil, Budućnost, Novi Sad.
- Glamočlija, D. (2004): Special farming. Draganić, Belgrade.
- Glamočlija Đ., Janković S., Popović M. Vera, Kuzevski J., Filipović V., Ugrenović V. (2015): Alternatively crop plants in conventional and organic growing systems. *Monograph*. Belgrade- 1-355.
- Glamočlija, Đ., Đurić, N., Glamočlija, N. (2017): Tritikale, origin, significance, technology of production and preservation of products, *Institute PKB Agroekonomik*, Belgrade.
- Ikanović J., Živanović Lj., Popović V., Kolarić Lj., Dražić G., Janković S., Pavlović S. (2018): Mogućnost većeg korištenja kukuruza kao bioenergenta. Possibility of greater use of maize as a bioenergy. *Zbornik naučnih radova Instituta PKB Agroekonomik*, 24, 1-2: 49-59.
- Janković V., Popović V., Vučković S., Ikanović J., Mihailovic V., Sabagh Ayman El, Stevanović P. (2017): Stability earliness of autochthonous populations *Phleum pratense* (L.) in Serbia. Agriculture and Forestry, Podgorica, 63, 4, 253-262.
- Maksimovic, L., Popović, V., Stevanović, P. (2018). Water and irrigation requirements of field crops grown in central Vojvodina, Serbia. Agriculture and Forestry, Podgorica, 64, 1, 133-144.
- Hojka, Z. (2004): The influence of the time of the apply and the form of nirogen on the income and features of seeds of inbred types of maize. Ph.D thesis, University of Novi Sad, Faculty of Agriculture.

- Peeney, D, C., Nolan, S. C., McKenzie, R.C., Goddard, T. W., Kryzanowski, L. (1996): Yield and nutrient mapping for site specific fertilizer management. *Comm. Soil Sci. Plant Anal.*, 27: 1265 1279.
- Popović, M.V. (2010): Influence of agro-technical and agro-ecological practices on seed production of wheat, maize and soybean. Doctoral Thesis, University of Belgrade, Faculty of Agriculture, 25.
- Popović, M.V. (2015): The concept, classification and importance of biological resources in agriculture. Editor. Milovanovic J., Đorđević, S.: Conservation and enhancement of biological resources in the service of ecoremediation. Monograph. Belgrade. pp. 29-51, pp. 1-407.
- Schepers, J. S., Moravek, M. G., Alberts, E. E., Frank, K. D. (1991): Maize production impacts on groundwater quality. *J. Environ. Qual.*, 12 16.
- Schmidt, J. P., De Joia, A. J., Ferguson, R. B., Taylor, R. K., Young, R. K., Havlin, J. L. (2002): Corn yield response to nitrogen at multiple in field location. *Agronomy Journal*, 94: 798 806.
- Starčević, Lj., Marinković, B., Latković, D. (1994): The influence of organic and mineral fertilizers in a monoculture of maize on the income, quality of grains and contents of NO<sub>3</sub> in soil. *Savremena poljoprivreda*, 42, 4: 37 40.
- Stevanović, P., Popović, V., Jovović, Z., Ugrenović, V., Rajičić V., Popović, S., Filipović, V. (2018): Kvalitet semena pšenice u zavisnosti od veličine frakcije i lokaliteta gajenja./Quality of wheat seed in respect of fragment and feeding locality. *Zb.Instituta PKB Agroekonomik*, 24, 1-2: 65-74.
- Stevanović, A., Šarčević Todosijević, Lj., Popović, V. (2018): The use of microbiological fertilizers in organic agricultural production. *Održiva primarna poljoprivredna proizvodnja u Srbiji stanje, mogućnosti, ograničenja i šanse.* pp. 13-20.
- Stojaković, M., Jocković, Đ., Bekavac, G., Purar, B. (1996): Maize (*Zea mays* L.) improvement on tolerance to drought. *Zbornik radova XXX Seminara agronoma*, Institut za ratarstvo i povrtarstvo, Novi Sad. 28: 27-38.
- Terzic D., Đekić V., Jevtic S., Popovic V., Jevtic A., Mijajlovic J., Jevtic A. (2018): Effect of long term fertilization on grain yield and yield components in winter triticale. *The Journal of Animal and Plant Sciences*, 28, 3: 830-836.
- Šarčević-Todosijević, Lj., Živanović, Lj., Janjić, S., Popović, V., Ikanović, J., Popović, S., Dražić, G. (2016): The influence of nitrogen fertilizer on the total number of microorganisms and aminoautotroph dynamics under "ugar" and sown maize. *Agriculture and Forestry*, 62 (3): 185-196.
- Villar Mir, J. M., Villar Mir, P., Sockle, C. O., Ferrer, F., Aran, M. (2002): On farm monitoring of soil nitrate nitrogen irrigated cornfields in the Ebro Valley (Northeast Spain). Agronomy Journal, 94: 373 380.
- Živanović, Lj. (2005): The influence of the harvest time on ontogenesis and the income of maize hybrids of a different length of vegetation period. M.Sc. thesis, University of Belgrade, Faculty of Agriculture.
- Živanović, Lj., Golijan, J., Šarčević Todosijević, Lj., Popović, V., Ikanović, J. (2018): Influence of the land type, quantity on nitrogen and hybrid to the total proteins in maize grains. *Održiva primarna poljoprivredna proizvodnja u Srbiji stanje, mogućnosti, ograničenja i šanse*. Fakultet za biofarming, Bačka Topola. p. 158-165.