

**XXIII INTERNATIONAL ECO-CONFERENCE® 2019**  
**XIII ENVIRONMENTAL PROTECTION OF URBAN**  
**AND SUBURBAN SETTLEMENTS**  
25<sup>th</sup>–27<sup>th</sup> SEPTEMBER 2019  
NOVI SAD, SERBIA

**XXIII INTERNATIONAL  
ECO-CONFERENCE® 2019**  
25<sup>th</sup>–27<sup>th</sup> SEPTEMBER 2019  
NOVI SAD, SERBIA

**XIII ENVIRONMENTAL PROTECTION  
OF URBAN AND SUBURBAN  
SETTLEMENTS**

PROCEEDINGS  
2019

*Publisher*

ECOLOGICAL MOVEMENT OF NOVI SAD  
21000 Novi Sad, Vojvođanskih brigada 17/I  
Phone: (+381 21) 6372 940  
(+381 69) 304 73 38  
E-mail: ekopokretns@gmail.com  
www.ekopokret.org.rs

*Editorial Board*

Academician Kastori Rudolf, President  
Nikola Aleksić  
Prof. Dr. Desanka Božidarević  
Prof. Dr. Biserka Dimiskovska  
Prof. Dr. Aleš Golja  
Prof. Dr. Imre Kadar  
Prof. Dr. Radmila Šovljanski  
Dr Vera Popović  
Mr. Bratimir Nešić

*Project Editor*

Nikola Aleksić

*Copy Editor*

Vesna Karajović

*Layout and Formatting*

Vesna Karajović

*For the Publisher*

Nikola Aleksić, Director

*Print*

SZR Lazukić company, Novi Sad

*Cirkulation*

300 copies

Publication year: 2019  
THE AUTHORS ARE RESPONSIBLE FOR THE QUALITY  
OF ENGLISH TRANSLATIONS

***Organizer:***

Ecological Movement of Novi Sad, Serbia

***Co-Organizers:***

- University of Novi Sad, Serbia
- Russian State Agrarian University – MTAA, Moscow, Russian Federation
- International Independent University of Environmental and Political Sciences, Moscow, Russian Federation
- Institute of Field and Vegetable Crops, Novi Sad, Serbia
- Pasteur Institute of Novi Sad, Serbia
- Legambiente d'Italia (National Environmental Organization), Italia

***Patronage:***

Matica srpska

***Host:***

Institute for Nature Conversation of Vojvodina Province, Novi Sad, Serbia

***Honorary Committee:***

*President:*

- **Prof. Dr. Dragan Stanić**, President of Matica Srpska, Serbia

*Vice-presidents:*

- **Prof. Dr. Dejan Jakšić**, Rector of the University of Novi Sad, Serbia
- **Prof. Dr. Vladimir Bautin**, Rector at the Russian State Agrarian University-MTAA, Moscow, Russian Federation
- **Prof. Dr. Stanislav A. Stepanov**, Rector of the International Independent Ecological-Politicology University in Moscow, Russian Federation
- **Dr. Svetlana Balešević Tubić**, Director of the Institute for Field and Vegetable Crops in Novi Sad, Serbia
- **Mr. Nenad Vranješ**, Director of the Pasteur Institute in Novi Sad
- **Dr. Marina Tomić**, Director of the Institute for Nature Protection of Vojvodina Region, Serbia
- **Vittorio Cogliati Dezza**, President of Legambiente d' Italia, Italy

### ***Scientific Committee:***

#### *President:*

- **Academician Rudolf Kastori**, Academy of Science and Art of Vojvodina, Novi Sad, Serbia, Hungarian Academy of Sciences, Budapest, Hungary, And Russian Academy of Sciences, Moskwa, Russian Federation

#### *Vice-presidents:*

- **Prof. Dr. Stevan Stamenkovski**, Vice-Chancellor for Science at the University of Novi Sad, Serbia
- **Prof. Dr. Evgenij Ivanovich Koshkin**, Vice-Chancellor for International Cooperation at the Russian State Agrarian University-MTAA, Moscow, Russian Federation
- **Prof. Dr. Marfenin N.N.**, Russian Federation, Vice-Chancellor for Science at the International Independent Ecological-Politicology University in Moscow, Russian Federation
- **Dr. Ana Marjanović Jeromela**, Assistant Director for Science at the Institute of Field and Vegetable Crops, Novi Sad, Serbia
- **Prof. Dr. Dušan Lalošević**, University of Novi Sad, Faculty of Medicine, Vice-Director of Pasteur Institute, Novi Sad, Serbia
- **Prof. Dr. Baccichet Moreno**, University of Ferrara, Faculty of Philology and Philosophy, Italy

#### *Secretary:*

- **Ljubica Aleksić**, Organizer of Ecological Movement of Novi Sad, Serbia

#### *Members:*

- **Academician Vaskrsija Janjić**, University of Belgrade, Faculty of Agriculture, Serbia
- **Akademician Vukadin Leovac**, University of Novi Sad, Faculty of Mathematics and Natural Sciences, Serbia
- **Prof. Dr. Ištvan Bikit**, University of Novi Sad, Faculty of Mathematics and Natural Sciences, Department for Physics, Serbia
- **Prof. Dr. Desanka Božidarević**, University of Novi Sad, Faculty of Agriculture, Serbia
- **Prof. Dr. Ilija Čosić**, Faculty of Technical Sciences, University of Novi Sad, Serbia
- **Prof. Dr. Biserka Dimiskovska**, University of „St. Cyril and Methodius”, Institute for Earthquake Engineering and Engineering Seismology (IZIIS), Skopje, Republic of Macedonia
- **Prof. Dr. Ivana Đujić**, University of Belgrade, Food Chemistry at Biological Faculty, Serbia
- **Dr. Aleš Golja**, University of Ljubljana, Faculty of Civil and Geodetic Engineering, Slovenia

- **Prof. Dr. Vladan Joldžić**, University of Belgrade, Biological and Chemical Faculty, Institute for Criminological and Sociological Research, Serbia
- **Prof. Dr. Gabriele Jovtchev**, Institute of Biodiversity and Resarch, Sofia, Bulgaria
- **Prof. Dr. Kadar Imre**, Research Institute for Soil Science and Agricultural Chemistry, Hungarian Academy of Sciences, Budapest, Hungary
- **Prof. Dr. Nila Kapor Stanulović**, University of Novi Sad, Faculty of Philosophy, Serbia
- **Prof. Dr. Borivoj Krstić**, University of Novi Sad, Faculty of Mathematics and Natural Sciences, Serbia
- **Prof. Dr. Slobodan Krnjetin**, University of Novi Sad, Faculty of Technical Sciences, Serbia
- **Prof. Dr. Ivana Maksimović**, University of Novi Sad, Faculty of Agriculture, Serbia
- **Prof. Dr. Dragutin Mihailović**, University of Novi Sad, Faculty of Agriculture, Serbia
- **Prof. Dr. Rodoljub Oljača**, Faculty of Forestry, University of Banja Luka, Bosnia and Herzegovina
- **Ph.D. Mohammad Taghi Razavian**, Shahid Beheshti University, Evin, Tehran, Associate Professor, Department of Geography, Iran
- **Prof. Dr. Aleh Rodzkin**, International Sakharov Environmental University, Minsk, R. Belarus
- **Prof. Dr. Atila Salvai**, University of Novi Sad, Faculty of Agriculture, Serbia
- **Prof. Dr. Velibor Spalević**, University of Montenegro, Faculty of Philosophy, Geographi Department, Nikšić, Montenegro
- **Prof. Dr. Ivan Šimunić**, University of Zagreb, Faculty of Agricultural, Croatia
- **Prof. dr. Goran Škatarić**, National parks of Montenegro, Podgorica and University of Gornja Gorica, Montenegro, Faculty for Food Technology, Food Safety and Ecology, Montenegro
- **Prof. Tomislav Šola**, Faculty of Humanities, Department of Information Sciences, Chair of Museology, University of Zagreb, President „The Best in Heritage”, Croatia
- **Prof. Dr. Radmila Šovljanski**, University of Novi Sad, Faculty of Agriculture, Serbia
- **Prof. Dr. Ion C. Ungureanu**, Academy for Agriculture and Forestry „Gheorghe Ionescu Sisești”, Bucharest, Romania
- **Prof. Dr. Victor Veniaminovič Zakrevskii**, Nort-Western State Medical University named after I. I. Mechnikov, Resident Professor, Sankt Petersburg, Russian Federation
- **Prof. Dr. Lu Zhongmei**, LLB, Peking University, Wuhan University, Vice Prisedent of the Higher People’s Court of Hubei Province and deputy of the National People’s Congress, China, LLM, LLD, China
- **Doc. Dr. Marina Putnik Delić**, University of Novi Sad, Faculty of Agriculture, Serbia

- **PhD Đordje Okanović**, Principal research fellow of the Institute for Food Technology in Novi Sad (FINS), Serbia
- **Dr Vera Popović**, Institute of Field and Vegetable Crops, Novi Sad, Serbia
- **Dr Ksenija Mačkić**, University of Novi Sad, Faculty of Agriculture, Serbia
- **Dr Jela Ikanović**, University of Belgrade, Faculty of Agriculture, Serbia
- **Dr. Tijana Zeremski**, Institute of Field and Vegetable Crops Novi Sad, Serbia

***Organizing Committee:***

***President:***

- **Nikola Aleksić**, Director of the Ecological Movement of Novi Sad

***Vice-president:***

- **Angelo Mancone**, Legambiente Veneto, Rovigo, Italy

***Secretary:***

- **Zoran Kovačević**, Organizer of Ecological Movement of Novi Sad, Serbia

***Members:***

- **Prof. Dr. Milan Stanulović**, University of Novi Sad, Faculty of Medicine, Serbia
- **Prof. Dr. Dragoslav Stoilković**, University of Novi Sad, Faculty of Tehnology, Serbia
- **Prof. Dr. Mihailo Peruničić**, University of Novi Sad, Faculty of Technology, Serbia
- **Dr. Željko Mihaljev**, Scientific Institute of Veterinary, Novi Sad, Serbia
- **Dr. Emina Mladenović**, University of Novi Sad, Faculty of Agriculture Serbia
- **Dr. Vera Popović**, Senior Research Associate, Institute of Field and Vegetable Crops, Novi Sad, Serbia
- **Dr. Vera Rajičić**, Senior Research Associate, Center for Small Grains, Kragujevac, Serbia
- **Mr. Milenko Košutić**, Engineer, expert assistant at the Institute for Food Technology in Novi Sad (FINS), Serbia
- **Mr. Bratimir Nešić**, Translator and Interpreter of the Ecological Movement of Novi Sad, Serbia
- **Mr. Slađana Đuranović**, Translator and Interpreter of the Ecological Movement of Novi Sad, Serbia
- **Luka Vujasinović**, Organizer of the Ecological Movement of Novi Sad, Serbia
- **Milan Vurdelja**, Rectors Office, University of Novi Sad, Serbia
- **Martina Čavić Gužvica**, B. Sc. in Environmental Engineering, Organizer of the Ecological Movement of Novi Sad, Serbia





## THE ECOLOGICAL MOVEMENT OF THE CITY OF NOVI SAD: AN IMPORTANT DECISION OF ITS PROGRAMME COUNCIL

Since 1995, the Ecological Movement of the City of Novi Sad organizes „Eco-Conference® on Environmental Protection of Urban and Suburban Areas”, with international participation.

Twelve biennial conferences have been held so far (in 1995, 1997, 1999, 2001, 2003, 2005, 2007, 2009, 2011, 2013, 2015 and 2017). Their programs included the following environmental topics:

Session 1: Environmental spheres: a) air, b) water, c) soil, d) biosphere

Session 2: Technical and technological aspects of environmental protection

Session 3: Sociological, health, cultural, educational and recreational aspects of environmental protection

Session 4: Economic aspects of environmental protection

Session 5: Legal aspects of environmental protection

Session 6: Ecological system projecting (informatics and computer applications in the field of integrated protection)

Session 7: Sustainable development of urban and suburban settlements–ecological aspects

Conference participants have commended the scientific and organizational levels of the conferences. Conference evaluations have indicated that some aspects are missing in the conference program. In addition, since a team of conference organizers was completed, each even year between the conferences started to be viewed as an unnecessary lag in activity.

### ***Eco-Conference® on Safe Food***

With the above deliberations in mind, a decision was made that the Ecological Movement of the City of Novi Sad should embark on another project – the organization of Eco-Conferences® on Safe Food. These Conferences were planned to take place in each even year. Preparations for the first Eco-Conferences® on safe food started after the successful completion of the Eco-Conference® '99.

So far ten Eco-Conferences® have been held (in 2000, 2002, 2004, 2006, 2008, 2010, 2012, 2014, 2016 and 2018.) focusing this general theme.

### ***Theme of the Eco-Conference®***

By organizing the Eco-Conference® on Safe Food, the organizer wishes to cover all factors that affect the quality of human living. Exchange of opinions and practical experiences should help in identifying and resolving the various problems associated with the production of safe food.

Since 2007 Eco-Conference gained five times in a row, a sponsorship from UN and their sectorial organizations (UNESCO and UN-FAO) and became purely scientific Conference.

### ***Objectives of the Eco-Conference®***

- To acquaint participants with current problems in the production of safe food.
- To make realistic assessments of the causes of ecological imbalance in the conventional agricultural production and the impact of various pollution sources on the current agricultural production.
- Based on an exchange of opinions and available research data, to make long-term strategic programs of developing an industrialized, controlled, integral, alternative and sustainable agriculture capable of supplying sufficient quantities of quality food, free of negative side effects on human health and the environment.

### ***Basic Topics of the Eco-Conference®***

Basic topics should cover all relevant aspects of the production of safe food. When defining the basic topics, the intention was itemize the segments of the production of safe food as well as the related factors that may affect or that already have already been identified as detrimental for food safety and quality.

The topics include ecological factors of safe food production, correct choice of seed (genetic) material, status and preparation of soil as the basic substrate for the production of food and feed, use of fertilizers and pesticides in integrated plant protection, use of biologicals, food processing technology, economic aspects, marketing and packaging of safe food.

To paraphrase, the envisaged topics cover the production of safe food on the whole, individual aspects of the production and their mutual relations, and impact on food quality and safety.

### ***Sessions of the Eco-Conference®***

1. Climate and production of safe food.
2. Soil and water as the basis of agricultural production.
3. Genetics, genetic resources, breeding and genetic engineering in the function of producing safe food.

4. Fertilizers and fertilization practice in the function of producing safe food.
5. Integrated pest management and use of biologicals.
6. Agricultural production in view of sustainable development
7. Production of field and vegetable crops.
8. Production of fruits and grapes.
9. Livestock husbandry from the aspect of safe food production.
10. Processing of agricultural products in the framework of safe food production.
11. Economic aspects and marketing as segments of the production of safe food.
12. Food storage, transportation and packaging.
13. Nutritional food value and quality nutrition.
14. Legal aspects of protecting brand names of safe food.
15. Ecological models and software in production of safe food.

Attempts will be made to make the above conference program permanent. In this way will the conference become recognizable in form, topics and quality, which should help it find its place among similar conferences on organized elsewhere in the world.

By alternately organizing conferences on environmental protection of urban and suburban areas in odd years and conferences on safe food in even years, the Ecological Movement of the City of Novi Sad is completing its contribution to a higher quality of living of the population. Already in the 19<sup>th</sup> century, Novi Sad was a regional centre of social progress and broad-mindedness. Today, owing first of all to its being a university centre, Novi Sad is in the vanguard of ecological thought in this part of Europe.

It is our duty to work on the furtherance of the ecological programs of action and, by doing so, to make our contribution to the protection of the natural environment and spiritual heritage with the ultimate goal of helping the population attain a higher level of consciousness and a higher quality of living.

Director of the Ecological Movement  
of Novi Sad  
Nikola Aleksic



## CONTENT

THE ECOLOGICAL MOVEMENT OF NOVI SAD: AN IMPORTANT DECISION OF ITS PROGRAMME COUNCIL.....	9
---	---

### INTRODUCTORY PRESENTATION

<i>Agota Vitkai Kučera</i> PRESERVATION OF TAMBURITZA TRADITION IN VOJVODINA .....	19
<i>Dr Dragica Stojiljković, dr Gordana Šekularac, dr Biserka Dimiskovska</i> CHEMICAL STATUS OF TAP AND BOTTLED WATERS IN SERBIA.....	25
<i>Branislav Gulan</i> PRESERVATION AND IMPROVEMENT OF THE ENVIRONMENT OF THE VILLAGES .....	35

### ENVIRONMENT

#### Air

<i>Jovan Dimishkovski, Nikola Dimishkovski, Biserka Dimishkovska</i> SUSPENDED PARTICLES AFFECTING AIR QUALITY IN REPUBLIC NORTH MACEDONIA .....	61
--	----

#### Water

<i>Jasna Grabić, Zorica Srđević, Pavel Benka, Bezdan Atila,</i> DROUGHT IN THE REGION OF SOUGHT EAST EUROPE: FROM RESEARCH TO PRACTICAL ACTIONS .....	73
---	----

#### Soil

<i>Marko Čabarkapa, Velibor Spalević, Paul Sestras, Mojtaba Nouraein,</i> <i>Devraj Chalise, Goran Škatarić, André Silva Tavares, Ronaldo Luiz Mincato</i> FACTORS AS DETERMINANTS OF SOIL EROSION GEOGRAPHICAL INTENSITY: APPLICATION OF THE RIVER BASIN MODEL AT THE VELICKA RIJEKA, POLIMLJE, MONTENEGRO .....	83
---	----

<i>Marijana Milutinović, Danijela Dunisijević Bojović, Matilda Đukić, Marija Marković</i>	
BRAUNFIELD LOCATION IN THE CITY POST-INDUSTRIAL ZONE-VEGETATION AND SOIL .....	95
<i>Đorđe Glamočlija, Vera Popović, Zagorka Gospavić, Ksenija Mačkić, Velibor Spalević, Marijana Jovanović Todorović, Nemanja Paunić</i>	
LAND USE REGIMES OF AGRICULTURAL SOILS IN MOUNTAINOUS AREAS OF SOUTHWEST SERBIA .....	103
<i>Sonja Tošić, Vesna Mrvić, Darko Jaramaz</i>	
BASIC CHARACTERISTICS OF SOIL FERTILITY OF BOR MUNICIPALITY .....	115
<i>Nenad Popov, Srđan Rončević, Željko Mihaljev, Sandra Jakšić, Dunja Rađenović, Jelena Tričković, Milica Živković Baloš</i>	
THE APPLICATION OF CARBONIZED ASH FOR THE SOLIDIFICATION AND STABILIZATION OF HEAVY METAL CONTAMINATED SEDIMENT .....	122
<i>Stojan Jevremović, Violeta Mickovski Stefanović, Dragana Stanisavljević, Predrag Ilić</i>	
EFFECT OF THE INDUSTRIAL ZONE'S PROXIMITY TO THE CONTAMINATION OF THE SOIL WITH HEAVY METALS .....	130

### Biosphere

<i>Tsveta Angelova, Alexander Stankov, Nikola Tyutyundzhiev, Christo Ivanov, Svetla Gateva, Gabriele Jovtchev</i>	
DOES PROLONGED UV IRRADIATION INDUCE GENOTOXIC EFFECT ON HORDEUM VULGARE? .....	137
<i>Dragan Obradov, Goran Tmušić, Boris Radak, Bojana Bokić, Goran Anačkov</i>	
INVASIVE NEOPHYTES IN SOUTHERN BAČKA REGION (VOJVODINA, SERBIA).....	144
<i>Medic Pap S., Červenski J., Danojević D.</i>	
PREVENTIVE MEASURES AS TOOL FOR ENVIRONMENT-FRIENDLY VEGETABLE PRODUCTION IN SUBURBAN AREAS.....	154
<i>Radenka Kolarov, Milena Lakićević</i>	
IMPROVEMENT OF PROTECTION OF RARE AND ENDANGERED PLANT SPECIES IN THE CITIES.....	163

### TECHNICAL-TECHNOLOGICAL ASPECTS OF ENVIRONMENT PROTECTION (ECO-INGEENERING)

<i>Gerasimova Ts., Topashka Ancheva M., Gateva S., Jovtshv G.</i>	
GENOTOXICITY INDUCED BY TREATED WITH ROUNDUP PLANT EXTRACTS OF <i>HORDEUM VULGARE</i> IN ICR STRAIN LABORATORY MICE .....	171

<i>Dorđe Okanović, Zvonko Nježić, Milutin Ristić, Gospava Lazić, Miroslav Ćirković, Dejan Bugarski</i>	
REMOVAL OF ANIMAL BY-PRODUCTS IN CITY OF NOVI SAD AS A FUNCTION OF SAFETY AND ENVIRONMENTAL PROTECTION .....	179
<i>Ljubica Šarčević Todosijević, Vera Popović, Robert Škarlak, Ljubiša Živanović, Aleksandar Stevanović, Jelena Golijan, Jelena Ikanović</i>	
MICROBIOLOGICAL PURIFICATION OF WASTE WATER .....	185
<i>Snežana Ilić Stojanović, Zorica Eraković, Ruža Stojanović, Bratimir Nešić</i>	
PURIFICATION OF LEACHATE FROM THE BODY OF THE REGIONAL SANITARY LANDFILL "ŽELJKOVAC" .....	195
<i>Červenski J., Medić Pap S., Danojević D.</i>	
COMPOSTING AS A ALTERNATIVE TREATMENT OF BIODEGRADABLE WASTE FROM VEGETABLE PRODUCTION IN HOME GARDENS AND YARDS .....	204
<i>Bratimir Nešić, Nenad Nešić, Luka Nešić, Ivica Dodić, Ruža Stojanović, Hranislav Nikolić, Dragan Stanković</i>	
ENERGY BRIQUETTE CDLP .....	213
<i>Nenad Nešić, Bratimir Nešić Luka Nešić, Ivica Dodić, Ruža Stojanović, Hranislav Nikolić, Dragan Stanković</i>	
GRAPEVINE PRUNING RESIDUES AS BIOFUEL .....	218
<i>Ivica Dodić, Ruža Stojanović, Hranislav Nikolić, Bratimir Nešić, Nenad Nešić, Luka Nešić, Dragan Stanković</i>	
GRAPEVINE HUSK AS BIOFUEL .....	223
<i>Ruža Stojanović, Nenad Nešić, Bratimir Nešić, Luka Nešić, Ivica Dodić, Hranislav Nikolić, Dragan Stanković</i>	
ENERGY BRIQUETTES FROM SUNFLOWER PROCESSING BIOMASS RESIDUES AS BIOFUEL.....	228
<i>Luka Nešić, Bratimir Nešić, Nenad Nešić, Ivica Dodić, Ruža Stojanović, Hranislav Nikolić, Dragan Stanković</i>	
ENERGY BRIQUETTE CDHLP .....	234
<i>Miloš Pavlović, Dragana Stanisavljević, Violeta Mickovski Stefanović, Predrag Ilić, Milić Vojinović</i>	
PESTICIDE PACKAGING AND ITS IMPACT ON PRESERVING THE ENVIROMENT .....	239

## SOCIAL ASPECTS OF ENVIRONMENTAL PROTECTION (SOCIOLOGICAL, HEALTH, CULTURAL, EDUCATIONAL, RECREATIONAL)

<i>V.V. Zakrevskii, S. A. Lopatin</i>	
DIET FOOD THE PUBLIC CATERING SYSTEM-AN IMPORTANT DIRECTION IN THE HEALTH CARE OF RUSSIAN POPULATION.....	247

<i>Željko Mihaljev, Nenad Popov, Brankica Kartalović, Sandra Jakšić, Milica Živkov Baloš</i>	
ACTIVITY OF NATURAL RADIONUCLIDES IN ANIMAL FEED .....	254
<i>Milica Gajić</i>	
SPECIES OF THE GENUS <i>SALMONELLA</i> -BIOCHEMICAL CHARACTERIZATION AND VULNERABILITY OF THE ENVIRONMENT .....	260
<i>Dušan Lalošević, Verica Simin, Dragana Mijatović, Pavle Banović, Maja Ružić</i>	
URBAN ECOLOGY AND ZONOSSES TRANSMITTED BY DOGS AS AN INDICATOR OF A CITIZEN'S HEALTH CULTURE .....	269
<i>Eva Erdelyi, Ibrahim Asadov</i>	
EFFECTS ON BACKPACKER TOURISM ON SUSTAINABILITY .....	274
<i>Chekembayeva Gaukhar, Eva Erdelyi</i>	
TRAVEL MOTIVATION FACTORS OF THE TOURISTS FROM DEVELOPING CENTRAL ASIAN COUNTRIES .....	283
<i>Bojana Kovačević Berleković, Ana Jovičić Vuković</i>	
ECOTOURISM: CASE OF ŠAJKAŠKA REGION .....	292
<i>Aleš Golja</i>	
SPATIAL ANALYSIS OF THE SLOVENIAN RIVER SPACE FOR PADDLING ACTIVITIES .....	301

## ECONOMIC ASPECTS OF ENVIROMENT PROTECTION

<i>Gordan Vrbanec</i>	
ONLINE WATER MONITORING AND TIMELY DETECTION OF POLLUTION .....	313
<i>Nikola Rakašćan, Vera Popović, Gordana Dražić, Jela Ikanović, Slobodan Popović, Branislav Popović, Tijana Milanović</i>	
CIRCULAR ECONOMY IN FUNCTION OF OBTAINING THE BIOGAS .....	320

## LEGAL ASPECTS OF ENVIROMENT PROTECTION

<i>Vladan Joldžić</i>	
ORGANIC AND LEGAL ASPECTS OF SUSTAINABLE DEVELOPMENT OF URBAN AND SUBURBAN SETTLEMENTS .....	333
NAME REGISTRY .....	341





**Dorđe Glamočlija<sup>1</sup>, Vera Popović<sup>2\*</sup>, Zagorka Gospavić<sup>3</sup>, Ksenija Mačkić<sup>4</sup>,  
Velibor Spalević<sup>5</sup>, Marijana Jovanović Todorović<sup>1</sup>, Nemanja Paunić<sup>3</sup>**

<sup>1</sup> University of Belgrade, Faculty of Agriculture, Zemun, Serbia;

<sup>2</sup> Institute of Field and Vegetable Crops, Novi Sad, Serbia;

<sup>3</sup> University of Belgrade, Faculty of Civil Engineering, Belgrade, Serbia;

<sup>4</sup> University of Novi Sad, Faculty of Agriculture, Novi Sad, Serbia;

<sup>5</sup> University of Montenegro, Department of Geography, Nikšić, Montenegro;

\* Corresponding authors: E-mail: lami.agrif@gmail.com,

vera.popovic@ifvcns.ns.ac.rs

## **LAND USE REGIMES OF AGRICULTURAL SOILS IN MOUNTAINOUS AREAS OF SOUTHWEST SERBIA**

### **Abstract**

In order to raise primary agricultural production to an economically viable level, the Republic of Serbia adopted the number of documents, strategies and laws regulating important issues related to agriculture and rural areas. This documentation would create conditions for achieving the economic, ecological and social goals of sustainable development adopted by the United Nations for the period 2015–2030. When it comes to the development of rural areas of Serbia, the main goals would be to: 1/ stop the migration of the rural population by creating the prerequisites for the modernization of primary agricultural production to increase the production of health-safe and functional food in areas where sustainable and organic agriculture can be organized 2/ production of health-safe and functional organic food. The holders of these projects, with the help of scientists from the Faculty of Agriculture in Zemun, increased the volume of primary plant and animal production on surfaces that were neglected for many years and covered with perennial weeds.

**Key words:** *lands, plant production, food products with geographical origin, rural tourism fairs*

### **INTRODUCTION**

According to the Statistical Yearbook data, the total area of the Republic of Serbia is 7,747,400 hectares. From this area, 5,052,957 hectares are agricultural land. The forests are on 1,984,513 ha, while the unproductive land makes 709,930 ha. The largest


areas of agricultural land are plowed land – 3.398.700 hectares (66%). About 7% of the land annually remains uncultivated from this area and this trend is increasing, especially in the rural, mountains areas. Meadows and pastures occupy 1.455.589 ha (28%), but, larger areas under natural herbaceous vegetation are becoming less used as the livestock fund decreases in the areas where they are the most abundant. Orchards and vineyards are located on 298,667 ha, which makes up about 6% of the total agricultural land, and this area is increasing every year as a result of increasing consumption of fresh fruits and its products, with the tendency of increased exports (Matović et al., 2013). Nevertheless, according to estimates of experts in the field of agriculture, in Serbia every year, up to 350,000 ha of land remains unused, while unused grassland area is significantly higher, but there are no precise data about this, because high-quality system of land-management do not exist (Godjevac Obradović, 2018). The main reasons for the increase of area of uncultivated and unused agricultural land is less and less interest in this type of economic activity with which, in rural area, predominantly older persons are dealing. Applying the traditional way of agricultural production by using outdated agricultural machinery, they become non-competitive commodity producers.

In solving the issue of how to raise the primary agricultural production to an economically viable level, the Republic of Serbia adopted the number of documents, Official Gazette of the Republic of Serbia 2005; 2006; 2006a; 2009; 2010; 2011; 2011a; 2012; 2014;) strategies and laws regulating important issues related to agriculture and rural areas. By this documentation, the state seeks to define a clear platform and legal framework for decision-makers, businessmen, as well as all other stakeholders in further agrarian activities. As the main strategic aspirations, the need to reduce the backlog in technological development, more efficient land management better implementation of laws, institutional reforms and alignment with EU administrative requirements are recognized.


The said documentation would create conditions for achieving the economic, ecological and social goals of sustainable development adopted by the United Nations for the period 2015–2030 (Agenda for Sustainable Development 2015). When it comes to the development of rural areas of Serbia, the main goals would be to stop the migration of the rural population by creating the prerequisites for the modernization of primary agricultural production and to increase the production of health-safe and functional food in areas where sustainable and organic agriculture can be organized. By providing better living conditions for the rural population, by building family farms for processing agricultural products and by better linking with city centers and developing rural tourism, more and more young people would be interested in living in the countryside.

In the area of the southern highland-mountainous macro-region of Western Serbia, which was the subject of these surveys, with the help of state subsidies and extensive engagement of the local population, the level of agricultural production in the past decade are significantly risen – primary crop production and cattle breeding, as well as processing of plant and animal products, some of which received a certificates as organic health-safe and functional food and of geographical origin. The holders of these projects, with the help of scientists from the Faculty of Agriculture in Zemun,

increased the volume of primary plant and animal production on surfaces that were abandoned for many years and covered with perennial weeds. According to the orographic structure and climatic conditions in Serbia, two geographical units are distinguished: the plain area located north of the Sava and Danube rivers (the province of Vojvodina) and the central region of the Republic divided into western, central and eastern Serbia, Picture 1–4.




*Picture 1. Nomenclature of Territorial Units for Statistics; Statistical regions level.  
Source: <https://a3.geosrbija.rs/share/11663d12469b>*




*Picture 2. Land Cover of Republic of Serbia; State preview.  
Source: <https://a3.geosrbija.rs/share/c4df06cc163c>*

Western Serbia is a geographical area that extends north-south course, occupying the western parts from Sava in the north, to the Pestera Plateau in the south. In the west, it is bounded by the river of Drina and in the east by Šumadija and West Pomoravlje. The entire area is divided into three macro-regions. The subject of this work was the southern highland-mountainous macro-region. It extends from the Valjevska podgorina in the north to the southern borders of central Serbia. The area is dominated



*Picture 3 – Geological Map of Republic of Serbia; State preview  
Source: <https://a3.geosrbija.rs/share/1d848572e2ec>*



*Picture 4 – Elevations of Republic of Serbia; State preview in 30m GRID.  
Source: <https://a3.geosrbija.rs/share/2c075cebe140>*

by mountain relief with mountains of different geological origin and of pedological composition. Another feature of this area is a large number of mountain plateaus and surfaces that are dissected by cliffs and canyon valleys, between which the basins have been lowered. The largest plateau is Peštersko polje above sea level up to 1,150 m, which is built on the Dinaric surface (Pešterska zaravan). The second plateau is the Koštam Field at 950 m above sea level. In addition to the plateau in this area there are larger and smaller coves (Glamočlija et al., 2015).

Soil characteristics depend on the geological composition of the parent substrate In the valleys and on the plateau they are more fertile, while, in the mountains, soil is shallow, poor in plant assimilates and acidic reactions (Živković et al., 2006). The share of agricultural land, predominantly grassland, and significantly less plow land, is larger in the southern regions, and of forests, in the north of the macro-region. Climatic conditions depend on the altitude, so the mountainous areas are under the influence of the subalpine climate, while the cold continental climate prevails on the plateaus and in the valleys. Winters are very cold with about three months under the snow. The average January temperature is  $-5^{\circ}\text{C}$ . The mean annual temperature is below  $10^{\circ}\text{C}$ , and in higher mountains (Tara) it is  $5.4^{\circ}\text{C}$ . The annual rainfall is 700 mm in the south, up to 900 mm, in the north of the macro-region, and the area is rich in waters (Glamočlija et al. 2011). The temperature and water regime make the spring short and fresh, the summer is warm and damp, autumn is short and cold. Weather conditions are favorable for cultivating of grasses and plants of shorter vegetation period because most precipitation occurs during the summer period. In crop production, the most cultivated are oat and wheat, and of alternative – buckwheat (Glamočlija et al., 2010), potato, medicinal and fodder plants (Jevđović et al., 2011).

The paper is presented ways of using agricultural land of the mountain area of southwestern Serbia – an example of the of spelt and buckwheat production.

## MATERIAL

During the past ten years, production experiments were performed on the representative landholdings of the private company Agrozlatar from Nova Varoš, as well as at some landholdings of farmers in the municipalities of Požega and Kosjerić. The company from Nova Varoš deals exclusively with plant production on its own land, as well as on leased areas. The main crops are buckwheat, wheat – spelt (German wheat), oats and potatoes. The paper is presented ways of using agricultural land of the mountain area of southwestern Serbia – an example of the of spelt and buckwheat production. The very favorable agro-ecological conditions of this region provide exceptional possibilities for this type of production, since they are far from large urban areas, industrial facilities and roads that excludes the possibility of contamination of crops by aerosols. At the same time, the specific climatic conditions with sharp winters and favorable heat and water regime during the vegetation season reduce the number of pests and pathogenic mushrooms, so indirect crop protection measures are very effective for obtaining healthy primary products suitable for processing into quality and health-safe food.

## RESULTS AND DISCUSSION


The main crops, during the past ten years, production experiments were performed on the representative landholdings of the private company Agrozlatar from Nova Varoš, as well as at some landholdings of farmers in the municipalities of Požega and Kosjeric, are buckwheat, wheat – spelt (German wheat), oats and potatoes. After the first experiences gained in the production of these crops and the upgrading of production technology through the supply of modern agricultural machinery, the employees in the company prepared the most suitable land area for organic plant production. Today, by obtaining the necessary certificates, on most agricultural areas, these listed crops are cultivated in the organic production system. The obtained products, in the first place, grain of buckwheat, spelt and oats are processed in their own factory and appear on the market as an organic product.

Grain yield of wheat – spelt. This type of old – new cereals in recent decades has become more and more interesting in human nutrition (Glamoclija, 2012). Spelta contains less gluten than common wheat and is suitable for eating people who are sensitive to this protein. Due to its nutritional, medical, and agronomic characteristics, the production and consumption of spelt in food industry grows steadily (Zielninski et al., 2008). In the diet, whole grain, groats and flour are used for the preparation of bread, pastry and biscuits. It is appreciated from the agronomic point of view because he is better adapted for growing on poor soil and in the cooler continental climate. The results of the research carried out on poor and degraded soil have shown that by correctly balanced nutrition of plants, with nitrogen, phosphorus and potassium, high grain yields of excellent quality can be achieved (Glamoclija et al., 2012). Experiments carried out on the Agrozlatar estate showed that this wheat can be successfully included in the organic production system because higher yields of grain are achieved than by production of common wheat, and the entire production, is processed of the production plant on the family farm into flour or, it is packed as whole grain, that are used for cooking. In addition to this estate, the spelt – wheat was also included in regular production by individual households in the wider area of mezzo-region, for example in the mountainous villages of the municipalities of Požega and Kosjerić (Ugrenović et al., 2012). Almost the entire organic production of this wheat takes place with the expert assistance of the scientists from the Faculty of Agriculture from Zemun and the PDS Institute Tamiš from Pančevo (Ugrenović et al., 2015; 2018).


Buckwheat grain yield. The climatic soil conditions of the site have a significant impact on buckwheat grain yields, as confirmed by many years of research carried out at three sites. The first trier was in Srem on Chernozem soils, the second in the area of Valjevo (gray forest land) and third in the area of Nova Varoš (gray forest land). Significantly higher yield in perennial averages was achieved in Srem (1.65 t ha<sup>-1</sup>) than in the mountainous area. However, the average yield of 1.31 t ha<sup>-1</sup> was 21% lower in Nova Varoš, which shows that buckwheat can be successfully cultivate (Ikanović et al., 2012) and in less favourable agro-ecological conditions at an altitude above 1,000 meters (chart 1a).

The content of rutin in buckwheat leaves. Rutin is an alkaloid used in the pharmaceutical and food industries. By examining of the content of rutin in the leaves by

liquid chromatography on the HPLC Hewlwt Pacard, the HP 1090 LC with the Dioden-Array Detector, it was concluded that the geographical origin of the raw material has a major influence on this property. The lowest content of rutin was found in leaves of buckwheat farmed in Vojvodina (Pančevo and Surduk), in the overall average of 2.78%, significantly more in Eastern Serbia (Kučevo) 3.35%, and the highest content from those, from experimental field in Nova Varoš, 3.71% . With using of NPK mineral nutrients, the rutin content of the leaves were declined, while water binding agents – hydrogel and zeolite significantly influence the synthesis of rutin (Lačnjevac et al., 2012). The content of rutin in these variants, compared to the variant with NPK mineral nutrients increased by about 10% (Graph. 1b).



a)



b)

Graph. 1. Grain yield, a, and rutin content, b, of buckwheat in Serbia

Organic production of buckwheat. In experiments based on the organic system of cultivating, for supplemental plant nutrition organic fertilizer Sifog, Fertor and poultry manure were used. The used plant nutrients significantly increased grain yield in relation to control. The smallest effect had the use of poultry manure (yield increase of 11.1%). Using Fertor, a higher grain yield was obtained by 19%, and using Sifoga, yield increase was 21.2% (Filipović et al., 2005). The results showed that buckwheat can be grown with use of the plant nutrition that is allowed for the organic production system. In addition to these nutrients, for increasing the natural fertility of the soil, systems of complex crop production are also advantageous, in which the grained legumes should be represented with greater participation, as main crops for grain production or as cover intercropping crops (Savić et al., 2009).

By studying the influence of weather conditions on the morphological and productive properties of buckwheat in the conventional and organic farming system, Popović et al. (2015) concluded that this plant species exhibits a great dependence on the distribution of heat and precipitation during the vegetation period. In favourable weather conditions there are no significant differences between these two systems of cultivation, while the unfavourable water regime as a whole, significantly reduces the yield of grain in the area of Vojvodina where the research was carried out. In the southwestern part of Serbia, the water regime is significantly more favourable and with less drought periods during the summer, so that the application of organic production system has a lot of economic justification (Popović et al., 2013).

Mezzo-region, which is the subject of study, is a suitable area for cultivation of most types of real and alternative cereals, in the system of sustainable agricultural production, thanks to favourable climatic and soil conditions. Most of these crop plants are cultivated in a semi-intensive way, which should be more used in the future, taking into account available mechanization and age structure of households. The produced grain of these cereals has a higher nutritional value compared to standard types and in industrial processing serves for the production of ready-made food products (Đurić et al., 2018) with increased nutritional value.

The results of the analysis of the land fund show that in the Republic of Serbia, from year to year, agricultural areas that are not used for plant production increase. The share of untreated area is significantly higher in hilly and mountainous regions due to the reduced interest of the younger rural population to remain on the ancestral homes and to engage in agricultural production.

In such conditions, the primary plant production remains the interest of the elderly population of the rural population that has obsolete agricultural machinery and does not have enough work force to process their agricultural land in the best possible way.

The consequence of such an approach to agricultural production, both herbal and livestock, is a smaller amount of food, produced on small rural households.

It is undeniable that there is an interest of the state to stop the trend of depopulation of rural areas. In order to improve rural life, it is necessary to make significant qualitative changes through joint efforts. The competent state authorities should offer programs that our scientific and research institutions will do by examining the natural resources of each individual area and suggesting what to produce and how to process



the obtained product that would, by its quality and health security, find its place on the domestic and foreign markets. At the same time, all rural areas need to have good road connection, be provided with quality water, electricity and modern Internet global communication.

The program, initiated by the scientists of the Faculty of Agriculture in Zemun and the Institute Tamiš from Pančevo, was very good accepted by agricultural producers in rural areas where production experiments were organized and lectures on sustainable and organic agricultural production were held, and also an introduction in the production cycle of new arable, forage and medicinal plants.

In the area of this mezzo-region, food fairs (days of buckwheat, days of cheese, days of honey, homemade crafts and similar) have been held for more than a decade. Every year, an increasing number of guests from the country and around visit them. These gatherings are organized by affirmed farmers with the help of local authorities and with the obligatory involvement of experts who pass on the latest knowledge in the expert field to interested parties. Guests who are attracted to clean nature, excellent food and accommodation often stay for several days in modern facilities for rest, which often are family houses built in traditional style.

The rural population, accepting this modern approach of agricultural production, which includes primary production, processing into food products in a traditional manner and recognizable geographical origin and quality and combined with rural tourism, remains on its landholdings by employing all members of the household, from the youngest to the oldest

In the area of this mezzo-region, food fairs (days of buckwheat, days of cheese, days of honey, homemade crafts and similar) have been held for more than a decade. Every year, an increasing number of guests from the country and the environment visit. These gatherings are organized by affirmed farmers with the help of local authorities and with the obligatory involvement of experts who pass on the latest knowledge in the field of expertise to interested parties. Guests who are attracted to clean nature, excellent food and accommodation often stay for several days in modern facilities for rest, most often these are family houses built in traditional style.

The next step that will lead to even greater improvement of agricultural production in rural areas will be the association of producers in specialized cooperatives that would define as producers of large quantities of certain food and medicinal products (dairy products, honey, flour, bread-bakery products, medicinal herbs, auxiliary medicinal products and the like) to which the market would be supplied throughout the year in the required quantities.

## CONCLUSION

Agricultural producers, who have shown greater interest in improved plant production technology, with the expert assistance of scientific workers and with the appropriate incentive funds from the relevant ministry, have been producing higher yields for several years and they have started to develop rural tourism and that way, to do placement their food products on the domestic market.

## Acknowledgement

This study was supported by the Ministry of Education, Science and Technological Development of the Republic of Serbia, and was created as a result of the projects: TR 31078 and TR 31025 and bilateral project, Montenegro and Serbia; 2019-2020: "Alternative cereals and oil crops as a source of healthcare food and an important raw material for the production of biofuel" and FAO project: "Redesigning the exploitation of small grains genetic resources towards increased sustainability of grain-value chain and improved farmers' livelihoods in Serbia and Bulgaria – GRAINEFIT; 2019–2021".

## REFERENCES

1. Đurić, N., Đ. Glamočlija, S. Janković, G. Dozet, V. Popović, V. Đekić and V. Cvijanović: *Alternative cereals in the system of sustainable agricultural production*. Proceedings from the 1st scientific conference Sustainable primary agricultural production in Serbia-state, possibilities, limitations and chances, 203–210. 2018.
2. Filipović, V., Đ. Glamočlija and R. Jevđović: *The application of eco-fertilizers in the buckwheat crop (Fagopirum esculentum Moench.)*. XL Croatian Symposium on Agriculture with International Participation, Opatija, Thematic proceedings, 145–146, 2005.
3. Glamočlija, Đ., M. Spasic, N. Zekic and M. Milutinovic: *The influence of top dressing on morphological and productive properties of spelt wheat on degraded soil*. Third International Scientific Symposium "Agrosym Jahorina 2012", 250–253. 2012.
4. Glamočlija, Đ., M. Staletić, J. Ikanović, M. Spasić, V. Đekić and M. Davidović: *Possibilities alternative grain production in the highlands area of central Serbia*. International Scientific Meeting: Multifunctional Agriculture and Rural Development (V) II Book, pp. 71–77. 2010.
5. Glamočlija, Đ. M. Mladenović-Glamočlija and G. Cvijanović: *Buckwheat, monograph. Faculty of Agriculture, Belgrade*. 2011.
6. Glamočlija, Đ.: *All the more demanding alternative, new-old cereals*. In: Žebeljan D. (editor), Book Agricultural Calendar: New Knowledge, Achievements, Experiences, Dnevnik Poljoprivrednik, Novi Sad, p. 298–301. 2012.
7. Glamočlija, Đ., S. Janković, V. Popović, V. Filipović, V. Ugrenović and J. Kuzevski: *Alternative crop plants in the conventional organic farming system*, Monograph. Publisher, IPN, Belgrade. 2015.
8. Gođevac Obradović, D.: *Improving land management by introducing the achievements gained through Pilot projects case study of directorate for agricultural land, Republic of Serbia*. 2018.
9. Ikanović, J., V. Popović, S. Janković, Đ. Glamočlija and J. Kuzevski: *Agro-ecological conditions and morpho-productive properties of buckwheat*. Biotechnology in Animal Husbandry, No 29 (3), pp. 555–562. 2012.
10. Jevđović, R., M. Kostić and G. Todorović (2011): *Production of medicinal herbs*. Monograph. Publisher: B.Sc. ing. Radoslav Dzakula, Belpak, Belgrade.
11. Lačnjevac, Č., G. Kulić, Đ. Glamočlija and J. Ikanović: *The influence of plant nutrition on routine content in leaf buckwheat*. Eco food, Novi Sad. 2012.
12. Jevđović, R., M. Kostić i G. Todorović: *Proizvodnja lekovitog bilja*. Monografija. Izdavač: dipl. ing. Radoslav Džakula, Belpak, Beograd. 2011.
13. Lačnjevac, Č., G. Kulić, Đ. Glamočlija i J. Ikanović: *Uticaj načina ishrane biljaka na sadržaj rutina u listovima heljde*. Eko hrana, Novi Sad. 2012.

14. Law on Agricultural Land. (2006). Official Gazette of the Republic of Serbia, No. 62/2006, 65/2008 – state law, 41/2009, 112/2015, 80/2017 and 95/2018 -state law
15. Law on Agriculture and Rural Development. (2009). Official Gazette of the Republic of Serbia, No. 41/09 and 10/13 – state law and 101/2016.
16. Matović, G., E. Gregorić and Đ. Glamočlija: *Agriculture in Serbia and Portugal. Crop production and drought in Serbia in light of climate change (Chapter 12): Recent developments and economic policy implications*. Monografija, Ed. Srdjan Redžepagić and Marta C. N. Simões. Coimbra, Portugal. 2013.
17. Popović, V., Đ. Glamočlija, L. Maksimović, J. Ikanović, Lj. Živanović, V. Đekić, V. Ugrenović, V. Filipović, D. Simić and V. Sikora: *Production of buckwheat in the Institute of Field and vegetable crops aimed at improving the quality of agricultural land*. ECOIDS. 1<sup>st</sup> Internat. conference of devastated sites for sustainable development. Faculty of Applied Ecology Futura, Singidunum University, Belgrade, pp. 104–110. 2014.
18. Popović, V., V. Sikora, J. Berenji, Đ. Glamočlija and V. Đekić: *The influence of ecological factors on the productivity of buckwheat seeds in the conventional and organic farming system*. Proceedings, XXVI Consultation of agronomists, veterinarians, technologists and agroeconomists. Institute of PKB Agroekonomik, Belgrade, Proceedings, Vol. 19, 1–2, 155–165. 2013.
19. Savić, J., Đ. Glamočlija and M. Nikolić: *Intercropping of soybean and white lupin: how lupin could increase phosphorus use efficiency of soybean?* Journal of Scientific Agricultural Research, vol. 70, 1, p. 93–98. 2009.
20. Strategy for the development of agriculture in Serbia. (2005). Official Gazette of the Republic of Serbia, No.78/05.
21. Ugrenović, V., Đ. Glamočlija, V. Filipović and J. Vučković: *Impact of hulled and dehulled spelt wheat seed on the germination and emergence of plants*. International Conference on BioSciens Biotechnology and Biodiversity – Step in the Future – The Forth Joint UNS – PSU Conference, 47. 2012.
22. Ugrenović, V., V. Filipović, V. Popović and Đ. Glamočlija: *The weed index – an indicator of productivity and quality of weeds*. Selection and Seed, 21, 2, 31–37. 2015.
23. Ugrenović, V.: *Organska proizvodnja žita*. Nacionalno udruženje za razvoj organske proizvodnje "Serbia Organica", Beograd, Srbija, 1–63. ISBN 978-86-88997-15-7. 2018.
24. Ugrenović V., Filipović, D. Delić, V. Popović, O. Stajković Srbinović, M. Ugrinović and G. Dozet: *Tehničko rešenje: Održavanje plodnosti zemljišta na organskom gazdinstvu modeliranjem plodoreda sa učešćem lucerke*. 2018.
25. Zielinski H., A. Ceglinska and A. Michalska: *Bioactive compounds in spelt bread*. European Food Researches. Technology, 226, pp. 537–544. 2008.
26. Živković, M., N. Đurović and R. Pivić: *Some aspects of water regime improvement for western Serbian soils*. Economics of Agriculture, International Scientific Meeting Multifunctional Agricultural and Rural Development – I – Development of Local Communities, Vol. LIII, TB (13-667), pp. 471–480. 2006.
27. \*UN General Assembly, Transforming our world: the 2030 Agenda for Sustainable Development, 21 October 2015, A/RES/70/1, available at: <https://www.refworld.org/docid/57b6e3e44.html> [accessed 5 May 2019].
28. Law on Agricultural Land. (2006). Official Gazette of the Republic of Serbia, No. 62/2006, 65/2008 – state law, 41/2009, 112/2015, 80/2017 and 95/2018 – state law.
29. Law on Agriculture and Rural Development. (2009). Official Gazette of the Republic of Serbia, No. 41/09 and 10/13 – state law and 101/2016.
30. Strategy for the development of agriculture in Serbia. (2005). Official Gazette of the Republic of Serbia, No. 78/05.
31. Strategy for the development of forestry of the Republic of Serbia. (2006a). Official Gazette of the Republic of Serbia, No. 59/06.

32. National Program for Agriculture of the Republic of Serbia from 2010 to 2013. (2010). Official Gazette of the Republic of Serbia, No. 83/10.
33. Biodiversity Strategy of the Republic of Serbia for the period from 2011 to 2018. (2011). Official Gazette of the Republic of Serbia, No. 13/11.
34. National Strategy for Sustainable Use of Natural Resources and Goods. (2012). Official Gazette of the Republic of Serbia, No. 33/12.
35. Strategy of Agriculture and Rural Development of the Republic of Serbia for the period 2014–2024. (2014). Official Gazette of the Republic of Serbia, No. 85/2014.
36. National Rural Development Program 2011–2013. (2011a). Official Gazette of the Republic of Serbia, No. 15/11.

**Ђорђе Гламочлија<sup>1</sup>, Вера Поповић<sup>2\*</sup>, Загорка Госпавић<sup>3</sup>, Ксенија Мачкић<sup>4</sup>, Велибор Спалевић<sup>5</sup>, Маријана Јовановић Тодоровић<sup>1</sup>, Немања Паунић<sup>3</sup>**

<sup>1</sup> Универзитет у Београду, Пољопривредни факултет, Земун,  
Немањина 6, Србија;

<sup>2</sup> Институт за ратарство и повртарство, Максима Горког 30,  
21000 Нови Сад, Србија;

<sup>3</sup> Универзитет у Београду, Грађевински факултет, Краља Александра 73,  
Београд, Србија;

<sup>4</sup> Универзитет у Новом Саду, Пољопривредни факултет, Нови Сад, Србија;

<sup>5</sup> Универзитет Црне Горе, Одсек за географију, Никшић, Црна Гора;

Одговорни аутори: E-mail: lami.agrif@gmail.com, vera.popovic@ifvcns.ns.ac.rs

## **НАЧИНИ КОРИШЋЕЊА ПОЉОПРИВРЕДНОГ ЗЕМЉИШТА БРДСКО-ПЛАНИНСКОГ ПОДРУЧЈА ЈУГОЗАПАДНЕ СРБИЈЕ**

### **Извод**

Да би подигли примарну пољопривредну производњу на економски исплатив ниво у Републици Србији је усвојен значајан број докумената, стратегија и закона којима се регулишу значајна питања везана за пољопривреду и рурална подручја. Овом документацијом створили би се услови за остваривање економских, еколошких и социјалних циљева одрживог развоја усвојине од Уједињених нација за период 2015–2030. Када је у питању развијање руралних подручја у Србији, основни циљеви били би: како да се заустави миграција сеоског становништва стварањем предуслова да се осавремењавањем примарне пољопривредне производње, повећањем здравствено безбедне и функционалне хране у пределима где се може организовати одржива и органска пољопривреда, и производити органска здравствено безбедна храна. Носиоци ових пројеката, уз помоћ научних радника Пољопривредног факултета у Земуну, повећали су обим примарне биљне и сточарске производње на површинама које су биле дужи низ година запуштене и обрасле вишегодишњим коровима.

**Кључне речи:** *земљиште, биљна производња, производња хране са географским пореклом, сајмови хране и сеоски туризам*

CIP – Каталогизација у публикацији  
Библиотеке Матице српске, Нови Сад

502:711.4(082)

INTERNATIONAL Eco-Conference (23 ; 2019 ; Novi Sad)

Environmental protection of urban and suburban settlements :  
proceedings / XXIII International Eco-Conference, 25–27th  
September 2019, Novi Sad ; [project editor Nikola Aleksić].  
– Novi Sad : Ecological Movement of Novi Sad, 2019  
(Novi Sad : Lazukić company). – 342 str. : ilustr. ; 23 cm

Tiraž 300. – Bibliografija uz svaki rad. – Rezime na srp. jeziku  
uz svaki rad. – Registar.

ISBN 978-86-83177-55-4

а) Животна средина – Заштита – Градови – Зборници

COBISS.SR-ID 330693895