1st International Conference on Chemo and BioInformatics ICCBIKG 2021



1<sup>st</sup> International Conference on Chemo and BioInformatics

# BOOK OF PROCEEDINGS

October 26-27th, 2021, Kragujevac, Serbia

www.iccbikg.kg.ac.rs





























## 1<sup>st</sup> International Conference on Chemo and BioInformatics ICCBIKG 2021

## **BOOK OF PROCEEDINGS**

October 26-27, 2021 Kragujevac, Serbia

### Sponsored by























ART WINE

1<sup>st</sup> International Conference on Chemo and BioInformatics, Kragujevac, October 26-27, 2021 Serbia

#### **Editors:**

Professor Zoran Marković

Professor Nenad Filipović

#### **Technical Editors:**

Vladimir Simić

Izudin Redžepović

Nikola Srećković

#### **Illustrations:**

Igor Stanković, "Vector Alchemist" d.o.o.

#### **Publisher:**

Institute for Information Technologies, University of Kragujevac, Serbia, Jovana Cvijića bb, 2021

#### **Press:**

"Grafo Ink", Kragujevac

#### **Impression:**

120 copies

СІР - Каталогизација у публикацији - Народна библиотека Србије, Београд

54:004(048)(0.034.2) 57+61]:004(082)(0.034.2)

INTERNATIONAL Conference on Chemo and BioInformatics (1; 2021; Kragujevac) Book of Proceedings [Elektronski izvor] / 1st International Conference on Chemo and BioInformatics, ICCBIKG 2021, October 26-27, 2021 Kragujevac, Serbia; [editors Zoran Marković, Nenad Filipović]. - Kragujevac: University, Institute for Information Technologies, 2021 (Kragujevac: Grafo Ink). - 1 USB fleš memorija; 3 x 2 x 1 cm

Sistemski zahtevi: Nisu navedeni. - Nasl. sa naslovne strane dokumenta. - Tiraž 120. - Bibliografija uz svaki rad.

ISBN 978-86-82172-01-7

а) Хемија - Информациона технологија - Зборници b) Биомедицина - Информациона технологија - Зборници

COBISS.SR-ID 48894473

## Organized by

• Institute for Information Technologies, Organizer



• Faculty of Science, University of Kragujevac, Suborganizer



• Faculty of Engineering, University of Kragujevac, Suborganizer



• University of Kragujevac, Supporting organization



• The Ministry of Education, Science and Technological Development of The Republic of Serbia, Supporting organization



#### **Committees**

#### **International Organizing Committee:**

Chairman: Prof. Zoran Marković (Serbia)

Vice-chairmans: Prof. Zlatan Car (Croatia)

Prof. Carlos Silva Lopez (Spain)

#### **Members:**

Dr Dejan Milenković (Serbia), Dr Dubravka Živković (Serbia), Dr Biljana Šmit (Serbia), Dr Miljan Milošević (Serbia), Dr Edina Avdović (Serbia), Dr Aleksandar Ostojić (Serbia), Dr Verica Jevtić (Serbia), Dr Milan Kovačević (Serbia), Dr Dragana Šeklić (Serbia), Dr Sanja Matić (Serbia), Dr Dušica Simijonović (Serbia), Dr Aleksandar Nikolić (Serbia), Dr Tatjana Miladinović (Serbia), Dr Saša Ćuković (Serbia), Dr Biljana Glišić (Serbia), Dr Vladimir Petrović (Serbia), Dr Andrija Ćirić (Serbia), Dr Nenad Janković (Serbia).

#### **International Scientific Committee:**

Chairman: Prof. Nenad Filipović (Serbia)

Vice-chairmans: Prof. Claudio Santi (Italy)

Prof. Goran Kaluđerović (Germany)

#### **Members:**

Prof. Zoran Marković (Serbia), Prof. Ivan Gutman (Serbia), Prof. Miloš Kojić (USA), Prof. Velimir Popsavin (Serbia), Prof. Miloš Đuran (Serbia), Prof. Nenad Kostić (USA), Prof. Ljiljana Kolar-Anić (Serbia), Prof. Svetlana Marković (Serbia), Prof. Snežana Zarić (Serbia), Prof. Marija Stanić (Serbia), Prof. Biljana Petrović (Serbia), Prof. Dobrica Milovanović (Serbia), Prof. Miroslav Živković (Serbia), Prof. Nenad Grujović (Serbia), Prof. Dragoslav Nikezić (Serbia), Prof. Zlatan Car (Crotaia), Prof. Ivan Potočňák (Slovakia), Prof. Luciano Saso (Italy), Prof. Dražen Vikić-Topić (Croatia), Prof. Bakhtiyor Rasulev (USA), Prof. Erik Klein (Slovakia), Prof. Viktor Stefov (Macedonia), Prof. Svetlana Simova (Bulgaria), Prof. Enver Karahmet (Bosnia and Herzegovina), Prof. Themis Exarchos (Greece), Prof. Carlos Silva Lopez (Spain), dr. sc. Mario Vazdar (Czech Republic), Prof. Arturas Ziemys (USA), Prof. Jasmina Dimitrić-Marković (Serbia), Prof. Snežana Bogosavljević Bošković (Serbia), Prof. Jasmina Stevanović (Serbia).

#### **Local Executive Committee:**

Chairman: Dr Dejan Milenković (Serbia)

Vice-chairmans: Dr Jelena Đorović Jovanović (Serbia)

Dr Jelena Katanić Stanković (Serbia)

#### **Members:**

Dr Darko Ašanin (Serbia), Dr Emina Mrkalić (Serbia), Žiko Milanović (Serbia), Vladimir Simić (Serbia), Bogdan Milićević (Serbia), Aleksandar Milovanović (Serbia), Nevena Veselinović (Serbia), Izudin Redžepović (Serbia), Nikola Srećković (Serbia).

#### TABLE OF CONTENTS

INVITED SPEAKERS	1
APPLICATION OF COMBINED DATA-DRIVEN COMPUTATIONAL CHEMISTRY AND CHEMINFORMATICS APPROACHES TO PREDICT PROPERTIES OF MATERIALS	2
TRANSITION METAL ION COMPLEXES AS POTENTIAL ANTITUMOR AGENTS	9
PLAYING IN THE FRONTIERS OF THE WOODWARD-HOFFMANN RULES	15
ELECTROPHILIC ORGANOSELENIUM COMPOUNDS AND SARS-COV-2: PRO-OXIDANT ACTIVAS A MORE PROMISING WAY TOWARDS THE DRUGGABILITY	
COMPUTATIONAL DOSIMETRY- INTERNATIONAL COMPARISON OF DIFFERENT SIMULATIONAL SOFTWARE WITHIN EURADOS ORGANISATION	26
ENERGY BALANCE OF MILK PASTERIZATION PROCESS	33
TOPOLOGICAL INDICES – WHY AND HOW	39
MEMBRANE FINITE ELEMENT FOR MODELING HEART WALL	40
HOW TO COMPOSE A RESEARCH ARTICLE THAT EDITOR WILL ACCEPT AND READERS WIL	
DEVELOPMENT OF FEDERATED LYMPHOMA CLASSIFICATION MODELS ACROSS MULTIPLI HARMONIZED COHORTS OF PATIENTS WITH PRIMARY SJÖGREN'S SYNDROME	
APPLICATION OF ARTIFICIAL INTELLIGENCE-BASED IMAGE ANALYSIS IN BIOINFORMATION	CS.47
SECTION LECTURERS.	55
MOLECULAR DOCKING AND MOLECULAR DYNAMICS STUDIES OF THE INTERACTION BETWEEN COUMARIN-NEUROTRANSMITTER DERIVATIVES AND CARBONIC ANHYDRASE	IX.56
MESOPOROUS SILICA AS A VEHICLE FOR ORGANOTIN(IV) COMPOUNDS	60
IMPACT ANALYSIS AND PREDICTION OF THE TOTAL NUMBER OF BACTERIA IN DIFFERENT RESERVOIRS USING SELAR INFORMATION SYSTEM	
COMPUTATIONAL MODELING OF INTRAOCULAR DRUG TRANSPORT	68
COMPUTATIONAL SUPRAMOLECULAR CHEMISTRY INVESTIGATED BY PUPILS AND UNDERGRADUATE STUDENTS	72
CHLOROGENIC ACID – APPLICATION OF CONTEMPORARY DENSITY FUNCTIONALS TO A SINGLE MOLECULE	81
POSSIBILITIES OF CYTOKINE DETERMINATION AND THEIR ANALYSIS IN VARIOUS TISSUE	S 89
APPLIED SCIENCE AND TECHNOLOGIES	95
COMPUTATIONAL VS. <i>IN VITRO</i> APPROACH TO PREDICT AERODYNAMIC PERFORMANCE O DRY POWDERS FOR INHALATION	
POTENTIALLY TOXIC ELEMENTS IN LOWLAND GREAT MORAVA RIVER – BIOINDICATION WITH BLEAK (ALBURNUS ALBURNUS)	97
DEVELOPING OF MATLAB APPLICATION FOR DETERMINING THE REACTION KINETICS OF RUBBER VULCANIZATION PROCESS	101
POSSIBILITY OF APPLICATION PULSATING ELECTROMAGNETIC FIELD IN A SAFER SOYBEAT PRODUCTION	
NUMERICAL ANALYSIS OF HUMAN SPINE DURING WHOLE BODY VIBRATION	109
THE INFLUENCE OF DIFFERENT NANOFILLERS ON THERMAL PROPERTIES OF ENVIRONMENTALLY FRIENDLY POLYURETHANE HYBRID MATERIALS	113
INELLIENCE OF EDOVIDIZED EXTENDED OIL PROPERTIES ON PURRED PEDEODMANCES	

INVESTIGATION OF HEMPSEED PROCESS OIL AS THE ALTERNATIVE IN NATURAL RUBBER COMPOUNDING PROCESS12
EFFECT OF CROSSLINKER AMOUNT ON HYBRID HYDROGELS SWELLING AND DRUG RELEASE
UNDERSTANDING EFFECT OF LASER SPEED AND FORMULATION FACTORS ON PRINTABILITY AND CHARACTERISTICS OF SLS IRBESARTAN TABLETS- APPLICATION OF DECISION TREE MODEL
QUANTIFICATION OF ESSENTIAL ELEMENTS IN PAPAVER RHOEAS L. AND PAPAVER SOMNIFERUM
EFFECT OF HUMIC AND FULVIC ACIDS ON MICROBIAL GROWTH13
OVERVIEW OF PHANTOMS IN DOSIMETRY AND RADIATION PROTECTION14
RADIOACTIVITY ASSESSMENT OF NATURAL RADIONUCLIDES AND <sup>137</sup> C <sub>S</sub> IN COMMONLY CONSUMED FOODS145
IMPROVING PRODUCTION EFFICIENCY IN THE ICE CREAM INDUSTRY
HYBRID IMRT RADIATION TECHNIQUE COMPARISON WITH 3D-CRT FOR LEFT-SIDED WHOLE BREAST CANCER153
ELECTROCHEMICAL INVESTIGATION OF 2-THIOHYDANTOIN DERIVA-TIVES AS CORROSION INHIBITORS FOR MILD STEEL IN ACIDIC MEDIUM
METHOD FOR SOFTWARE TRACKING AND ANALYSIS OF PLAYER'S MOTION DURING A FOOTBALL MATCH AND GENERAL PARAMETERS FOR FC RED STAR PLAYERS DURING THE QUALIFICATION ROUNDS FOR UEFA EUROPE LEAGUE
HPLC ANALYSIS OF PHENOLS OF SLOVENIAN RED WINES: CABERNET SAUVIGNON AND MERLOT165
DEVELOPMENT OF ELECTROSPUN POLY(VINYLPYRROLIDONE) (PVP) NANOFIBER MATS LOADED BY <i>CALENDULA OFFICINALIS</i> EXTRACT AND COENZYME Q10
RHEOLOGICAL BEHAVIOR AND MECHANICAL PROPERTIES OF RUBBER COMPOSITES BASED ON NATURAL RUBBER LOADED WITH MINERAL OILS AND PYROLYTIC CARBON BLACK 173
THE INFLUENCE OF ZNO NANOPARTICLES ON THE PROPERTIES OF HYPERBRANCHED ALKYD RESINS BASED ON CASTOR OIL
DOSIMETRIC COMPARISON OF VMAT AND 3D CONFORMAL RADIOTHERAPY IN PREOPERATIVE RECTAL CANCER
BIOINFORMATIC AND APPLIED BIOLOGY
APPLICATION OF DATA MINING IN THE ECOLOGICAL ANALYSIS OF THE IMPACT OF BACTERIAL COMMUNITIES IN DIFFERENT RESERVOIRS186
SEARCH PROCEDURE AND DATA EXTRACTION FOR META-ANALYSIS IN BIOMEDICAL RESEARCH190
SEMANTIC SEGMENTATION OF ORAL SQUAMOUS CELL CARCINOMA ON EPITHELLIAL AND STROMAL TISSUE194
DIVERSITY OF EARTHWORMS (CLITELLATA: OLIGOCHAETA) FROM SERBIAN SIDE OF ŠAR MOUNTAIN198
RESEARCH ON THE FAUNA OF EARTHWORMS (OLIGOCHAETA, LUMBRICIDAE) IN ĐERDAP NATIONAL PARK202
DETERMINATION OF HEAVY METALS AND SECONDARY METABOLITES OF <i>PEUCEDANUM OREOSELINUM</i> (APIACEAE)
CONSUMPTION OF RAW WATER – THE HEALTH RISKS RELATED TO THE PRESENCE OF HEAVY METALS AND <i>ESCHERICHIA COLI</i> 210
THE MORPHOMETRIC STUDY OF THE EFFECTS OF BISPEROXOVANADIUM (BPV <sub>(PHEN)</sub> ) ON NEONATAL DRG NEURONS IN CULTURE214

DNA PROTECTIVE ACTIVITY OF TWO SPECIES OF THE SCROPHULARIA GENUS	218
PRELIMINARY RESULTS REGARDING PHYLOGENY OF THE NOBLE CRAYFISH (DECAPODA, ASTACIDAE, ASTACUS ASTACUS) IN SERBIA	222
THE DAMPENING OF LIPID DROPLET OSCILLATORY MOVEMENT IN NITROGEN STARVED FILAMENTOUS FUNGI BY A LOW DOSE OF MITOCHONDRIAL RESPIRATION INHIBITOR	226
DISTRIBUTION OF ENDEMIC SPECIES CERNOSVITOVIA DUDICHI IN SERBIA	230
BIOMEDICAL ENGINEERING	234
BLOOD FLOW IN CORONARY ARTERY BIFURCATION CALCULATED BY TURBULENT FINITE ELEMENT MODEL	
HUXLEY SURROGATE MODEL FOR TWITCH MUSCLE CONTRACTION	239
A META-HEURISTIC MULTI-OBJECTIVE APPROACH TO THE MODEL SELECTION OF CONVOLUTION NEURAL NETWORKS FOR URINARY BLADDER CANCER DIAGNOSIS	243
THE SIMULATION MODELLING METHODS FOR ORGANIZATION OF THE ONCOLOGY PATIEN ROUTING	
ELECTROSPUN GELATIN NANOFIBROUS SCAFFOLDS – APPLICATIONS IN TISSUE ENGINEER	
BLOOD FLOW SIMULATION USING SPH METHOD IN LS-DYNA, ANALYSIS OF ADVANTAGES AND DISADVANTAGES	
ENGINEERING A MICROFLUDIC PLATFORM AS A PRE-CLINICAL MODEL FOR BIOMEDICAL APPLICATIONS	259
USE OF CONVOLUTIONAL NEURAL NETWORKS FOR X-RAY IMAGE ORIENTATION DETERMINATION	263
ADDITION OF REMESHING TECHNIQUE TO THE STENT IMPLANTATION SOFTWARE AND ITS EFFECT ON THE SIMULATION OUTCOME	
COMPUTATIONAL MODEL FOR HEAT TRANSFER COUPLED WITH FLUID FLOW WITHIN PERITONEAL CAVITY	271
BIOORGANIC, BIOINORGANIC, AND MEDICINAL CHEMISTRY	275
DETAILED GC-MS ANALYSES OF THE MYRTUS COMMUNIS L., ESSENTIAL OIL AND THE ANTIFUNGAL ACTIVITY ASSESSMENT	276
ANTIBIOFILM ACTIVITY OF SELECTED PLANT SPECIES	280
QSRR MODELING OF LIQUID CHROMATOGRAPHY SEPARATION OF ZIPRASIDONE COMPOUNT	
PLATINUM(IV) COMPLEX AND ITS CORRESPONDING LIGAND SUPPRESS CELL MOTILITY AN PROMOTE EXPRESSION OF FRIZZLED-7 RECEPTOR IN COLORECTAL CANCER CELLS	
EXPLORING THE POTENTIAL OF A-ARBUTIN AS THE INHIBITOR OF NEURODEGENERATIVE DISORDERS	
IN VITRO AND IN VIVO ANTITUMOR ACTIVITY OF PLATINUM(II) COMPLEXES WITH MALONI ACID ON BREAST AND COLORECTAL CARCINOMA CELL LINES	
SYNTHESIS AND CHARACTERIZATION OF PALLADIUM (II)–2-(AZIDOMETHYL)CYCLOPROPA 1,1-DICARBOXYLIC ACID COMPLEX	
THE EFFECTS OF SELENITE ON FILAMENTOUS FUNGI LIPID DROPLETS MONITORED IN VIVO LABEL FREE USING ADVANCED NONLINEAR MICROSCOPY TECHNIQUE	
INFLUENCE OF VANADIUM ON THE GROWTH AND METABOLISM OF COPRINELLUS TRUNCORUM FUNGAL MYCELIUM	304
THE INFLUENCE OF SELENITE ON FILLAMENTOUS FUNGI HYPHA MORPHOMETRY	308

DNA/BSA BINDING STUDY OF DINUCLEAR GOLD(III) COMPLEXES WITH AROMATIC NITROGEN CONTAINING HETEROCYCLES AS BRIDGING LIGANDS	
SYNTHESIS AND BIOLOGICAL ACTIVITY OF THE NEW PINCER TYPE RUTHENIUM(III) COMPLE	
GALLIC ACID HYDRAZONES: IN SILICO INHIBITION OF THIOREDOXIN REDUCTASE32	
CYCLOOXYGENASE-2 AS IN SILICO TARGET OF PHENOLIC HYDRAZONE-TYPE DERIVATIVES 32	24
STUDIES OF SUBSTITUTION REACTIONS WITH IMPORTANT BIOMOLECULES AND ANTIMICROBIAL ACTIVITY OF NOVEL ZN(II)-L-CU(II) COMPLEXES	28
ESSENTIAL OIL ANALYSIS OF THE <i>MICROMERIA JULIANA</i> (L.) BENTH., FROM LUŠTICA, MONTENEGRO	32
17-SUBSTITUTED STEROIDAL TETRAZOLES - NOVEL LIGANDS FOR HUMAN STEROID-CONVERTING CYP ENZYMES	36
SYNTHESIS AND CHARACTERIZATION OF PLATINUM(II/IV) COMPLEXES WITH 2-AMINO-5-METHYL-4-PHENYLTHIAZOLE	39
EFFECT OF PLANT EXTRACTS ON BACTERIAL GROWTH AND POTENTIAL MECHANISM OF ACTION	43
CHEMICO-BIOLOGICAL INTERACTION OF SELECTED TETRAHYDROPYRIMIDINES34	47
SYNTHESIS AND ANTIOXIDANT ACTIVITY OF SOME NEW SULFONAMIDE DERIVATIVES3:	51
DESIGN, SYNTHESIS AND PHARMACOLOGICAL EVALUATION OF NOVEL N-{4-[2-(4-ARYL-PIPERAZIN-1-YL)-ETHYL]-PHENYL}-ARYLAMIDES3:	55
PHYTO-MEDIATED SYNTHESIS OF SILVER NANOPARTICLES USING AQUEOUS EXTRACT OF BUGLOSSOIDES PURPUROCAERULEA (BORAGINACEAE) AND THEIR BIOACTIVITY	59
INFLUENCE OF QUERCETIN ON THE BINDING OF TIGECYCLINE TO HUMAN SERUM ALBUMIN30	
THE AUTOLYSIS PRODUCTS OF GLUCOSINOLATES IN <i>LEPIDIUM CAMPESTRE</i> (L.) W. T. AITON (BRASSICACEAE)	
IN SILICO PREDICTION OF PHARMACOKINETIC PROPERTIES AND DRUGLIKENESS OF NOVEL THIOUREA DERIVATIVES OF NAPROXEN	71
THE MOLECULAR BASIS OF DRUG-PLASMA PROTEIN INTERACTION FOR CNS ACTIVE COMPOUNDS	75
A NOVEL AZO-AZOMETHINE DYE: SYNTHESIS, DYEING AND ANTIOXIDANT PROPERTIES3	79
NUCLEOPHILIC SUBSTITUTION REACTIONS OF THE CAFFEINE-DERIVED PT(II) AND PD(II) COMPLEXES WITH IMPORTANT BIOMOLECULES	83
ANTIMICROBIAL ACTIVITY OF 3- (1- (3- HYDROXYPHENYL) AMINO) ETHYLIDENE) CHROMAN-2,4-DIONE AND ITS CORRESPONDING PALLADIUM(II) COMPLEX33	
SUBSTITUTION REACTIONS OF THE MONOFUNCTIONAL GOLD(III) COMPLEX AND SULPHURDONOR BIOLOGICALLY IMPORTANT LIGANDS	91
PHENOLIC CONTENT AND POTENTIAL APPLICATION OF <i>LYSIMACHIA VULGARIS</i> L. AERIAL PAR AND ROOT EXTRACTS	
DNA AND BSA INTERACTIONS OF COPPER(II) AND ZINC(II) COMPLEXES WITH ANTIFUNGAL AGENT FLUCONAZOLE	99
BINDING OF 17-SUBSTITUTED 16-NITRILE 16,17-SECOESTRANE COMPOUNDS TO ESTROGEN RECEPTORS - IN VITRO AND IN SILICO STUDY	03
CHEMOINFORMATICS	07
THERMODYNAMICS OF THE ANTIOXIDANT ACTIVITY OF HUMULONES AND OTHER ANTIOXIDANTS FROM BEER – A MOLECULAR MODELING APPROACH	.08

MOLECULAR MODELING OF 5-[(AMIDOBENZYL)OXY]-NICOTINAMIDES AS SIRTUIN 2 INHIBITORS USING ALIGNMENT-(IN)DEPENDENT 3D-QSAR ANALYSIS AND MOLECULAR DOCKING410
THERMODYNAMICALLY INVESTIGATIONS OF FREE RADICAL SCAVENGER POTENCY OF 1,2,4-TRIHYDROXYTHIOXANTHONE414
DESCRIPTION OF CHITOSANE GRAFTED ACRYLIC ACID BASED HYDROGEL SWELLING KINETICS AND THEIR USE IN NEW DESIGNED SYSTEM418
THE PREDICTION ACCURACY OF <sup>1</sup> H AND <sup>13</sup> C NMR CHEMICAL SHIFTS OF COUMARIN DERIVATIVES BY CHEMO/BIOINFORMATICS METHODS422
MOLECULAR DOCKING ANALYSES OF SOME CYCLOHEXADIENE DERIVATIVES423
DISCLOSING THE TRUE NATURE OF HESPERETIN'S ANTIGENOTOXICITY <i>IN VIVO</i> WITHIN THE <i>DROSOPHILA MELANOGASTER</i> SOMATIC CELLS THROUGH THE EXTENSIVE GENOTOXICAL AND STRUCTURE-BASED STUDIES
APPLICABILITY OF BRAY-LIEBHAFSKY REACTION FOR CHEMICAL COMPUTING431
NOVEL LIGANDS OF HUMAN CYP7 ENZYMES – POSSIBLE MODULATORS OF CHOLESTEROL BLOOD LEVEL: COMPUTER SIMULATION STUDIES
THE EXPLORATION OF CYP17A1 LIGAND SPACE BY THE QSAR MODEL439
INHIBITORY EFFECT OF COUMARIN BENZOYLHYDRAZONES ON MCL-1 PROTEIN442
DOI:10.46793/ICCBI21.446R
ASSESSING STRUCTURAL SIMILARITY OF COMPOUNDS WITH PHYSIOLOGICAL RESPONSE: COMPARATIVE STUDY ON SIMILARITY METRICS446
SPECTROSCOPIC AND QUANTUM-CHEMICAL INVESTIGATION OF TESTOSTERONE PROPIONATE, A COMMONLY MISUSED ANABOLIC STEROID450
SPECTROPHOTOMETRIC INVESTIGATION OF COBALT BROMIDE COMPLEX FORMATION IN AQUEOUS CALCIUM NITRATE–AMMONIUM NITRATE MELTS AT $T=328.15$ K. INFLUENCE OF WATER CONTENT454
ANTIOXIDATIVE POTENCY AND RADICAL SCAVENGING ACTIVITY OF SELECTED COUMARIN- HYBRIDS458
DIRECT SCAVENGING ACTIVITY OF 4,7-DIHYDROXYCOUMARIN DERIVATIVE TOWARDS SERIES OF CHLOROMETHYLPEROXY RADICALS462
CYTOTOXIC ACTIVITY AND MOLECULAR DOCKING STUDY OF 4-SUBSTITUTED FLAVYLIUM SALT466
APPLYING IN SILICO TOXICOGENOMIC DATA MINING TO PREDICT MOLECULAR MECHANISMS AND PATHWAYS AGAINST CARCINOMA: IMMUNOMODULATOR SULFORAPHANE AS A CASE STUDY



doi:10.46793/ICCBI21.105C

## POSSIBILITY OF APPLICATION PULSATING ELECTROMAGNETIC FIELD IN A SAFER SOYBEAN PRODUCTION

Gorica T. Cvijanović<sup>1</sup>, Marija D. Bajagić<sup>2</sup>, Vojin H. Đukić<sup>3</sup>, Nenad A. Đurić<sup>4</sup>

<sup>1</sup>University of Kragujevac, Institute for Information Technologies Kragujevac, Department of Science, Jovana Cvijica bb, 34000 Kragujevac, Serbia

e-mail: cvijagor@yahoo.com

#### **Abstract**:

The application of methods in the field of biophysics, such as the pulsating electromagnetic field (PEMP) to biological organisms, many studies are performed that indicate specific changes and efficient action on various biochemical processes of cells in plants. The obtained results do not depend only on the plant species, but also on the climatic conditions, agrotechnical measures and exposure time, intensity and nature of the fields used in the research. The aim of the study was the effect of stimulation of soybean seeds with PEMP. Soybean seeds are rich in quality proteins, oils and fats. The three-year research period 2013-2015 implied different agrometeorological conditions. Soybean seeds of the Valjevka variety were used. Soybeans were grown with different amounts of organic granular poultry manure (control - no fertilization, 750 kg.ha<sup>-1</sup> i 1300 kg.ha<sup>-1</sup>). Seed stimulation was performed before sowing with PEMP low frequency 15 Hz and exposure of 30 minutes. Seed stimulation efficiency was very pronounced because it statistically significantly (p <0.01) increased grain yield by 4.85% and protein content in grain by 3.52%.

Key words: soybean, biophysics, pulsating electromagnetic field, yield, proteins

#### 1. Introduction

Reports on the beneficial effects of pulsating electromagnetic field (PEMP) on seed germination, morphological and productive properties of plants introduce the use of pulsating magnetic field as one of the environmentally friendly techniques that meet the requirements of organic agriculture [1]. Many authors conclude that when energy is introduced into cells, molecular transformations are created, which can lead to an increase in the electropotential of membranes [2], a faster process of photosynthesis and an increased content of pigments [3], intensive cell division, which leads to faster uptake of water and nutrients needed by plants [4], as well as to processes involving free radicals by stimulating the activity of proteins and enzymes [5]. Therefore, the aim of this study is to examine the stimulation of soybean seeds before sowing with a pulsating electromagnetic field of low frequency on grain yield and protein content in grain in different agroecological conditions.

#### 2. Material and Methodes

The research was conducted in the open field, a demonstration property of the Institute of Field and

<sup>&</sup>lt;sup>2</sup>University of Bijeljina, Pavlovica put bb, 76300 Bijeljina, Bosnia and Herzegovina

<sup>&</sup>lt;sup>3</sup>Institute of Field and Vegetable Crops, Maksima Gorkog 30, 21000 Novi Sad, Serbia

<sup>&</sup>lt;sup>4</sup>Institute for Vegetable Crops, Karadordeva 71, 11420 Smederevska Palanka

e-mail: bajagicmarija@yahoo.com, vojin.djukic@ifvcns.ns.ac.rs, nenad.djuric@outlook.com

Vegetable Crops in Novi Sad, Vojvodina - Serbia region, according to a split plot system in 4 replicates with a randomized design. The research period was 2013-2015. Soybean seeds of the Valjevka variety were stimulated. For each subparcel, 500 grains were prepared, which were stimulated by a pulsating electromagnetic field.

The three-factorial experiment consists of factor A, which consists of years of research, because climatic conditions affect the vegetative and generative growth of soybeans. Factor B is the amount of fertilizer: Ø (control), 750 kg.ha<sup>-1</sup> and 1300 kg.ha<sup>-1</sup>. Factor C is the treatment of seed stimulation by pulsating electromagnetic field (PEMP), frequency of 15 Hz and exposure of 30 minutes, which was done immediately before sowing. Soybean seed stimulation was performed using a pulse generator and a strip applicator (maximum frequency up to 100 Hz and maximum duration up to 1 h), through which the process of pulsating alternating movement of electric and magnetic fields takes place.

After harvest, the yield in kg.ha<sup>-1</sup> was measured with a moisture content of 14%, while the protein content (%) was measured by chemical analysis using a DA-700 FLEXI-MODE NIR / VIS spectrophotometer. The results of the research were processed by statistical analysis of the variance of the three-factorial experiment, and the statistical significance of the differences tested by the LSD test at 5% and 1% (Statistical Program "Statistics 10.0"). The results are shown in a table.

#### 3. Results and Discussion

Based on the results of the research, it was determined that the age factors and seed stimulation with PEMP had a highly significant effect on soybean grain yield, while the influence of the interdependence of the examined factors was not determined (Table 1). The average soybean yield was 3400,70 kg.ha<sup>-1</sup>. The highest yield was determined in 2014. In arid 2015, the lowest yield was determined, 48.99% lower than in 2014, and 44.66% lower than in 2013. Numerous studies show a strong influence of environmental factors on soybean grain yield. Fertilization did not statistically significantly affect the yield. Seed stimulation had a statistically significant effect. With seed stimulation, the average increase in yield was 4.85% than in the control variant. The impact of PEMP in years that are not favorable for soybean production is very significant.

Table 1. Influence of testing on grain yield

Year (A)	Fertilization		Seed sti	imulation	AB	A		
Tear (A)	$(kg ha^{-1}) (B)$	W	With out PEMP With PEMP		AD	А		
	0		2878,63	3	3063,33	2970,98		
2013 -	750		2925,15	3	3059,99	2992,57	2989,68	
	1300		2978,01	3	3032,99	3005,50	2909,00	
	AC		2927,26	3	3052,10			
_	0		4984,51	5	5302,28	5143,39		
2014	750		5065,34	5	5222,99	5144,16	5145 90	
2014	1300		5087,80	5	5211,92	5149,86	5145,80	
•	AC		5045,88	5	5245,73			
	0		1961,99	2	2174,59	2068,29		
2015 -	750		1961,15	2144,48		2052,82	2066.60	
	1300		2038,72	2	2118,66	2078,69	2066,60	
•	AC		1987,29	2145,92				
	0		3275,04	3	3513,40	3394,22		
ВС	750		3317,21	3	3475,82	3396,52		
ьс	1300		3368,18	3	3454,53	3411,35		
•	С		3320,14	3	3481,25			
Average 2013	3 - 2015					3400,70		
	A**	B <sup>ns</sup>	C**	ABns	ACns	BC**	ABCns	
LSD 0,05	51,75	34,81	25,99	60,30	45,01	45,01	77,97	
LSD 0,01	60,88	47,70	35,09	82,62	60,79	60,79	105,28	

The obtained results are compatible with studies where PEMP frequencies were used on soybeans of 72 Hz for 60 minutes and 16 Hz for 30 minutes [6], then the influence of PEMP in the range of 10 to 100 Hz of different duration and in other wheat plant species [7], cotton [8], lettuce [4].

On average for all three examined years, the average protein content in the grain was 39.28% (Table 2). Meteorological conditions, especially temperatures and precipitation, affect the protein content of soybeans. The favorable ratio of average air temperatures and the amount of precipitation in 2014 had a positive effect on the protein content (39.85%), which is also higher by 1.19% than in 2013 and 3.23% higher than in arid 2015. years. Different amounts of fertilization affected the variability of soybean protein, but the differences obtained were not at the level of statistical significance. The efficacy of seed stimulation with PEMP was very pronounced. Protein content during seed stimulation (39.96%) was 3.52% higher than without seed stimulation (38.60%).

Table 2. Influence of testing on grain protein content

Fertilization Seed stimulation (C)								
Year (A)	Fertilization (kg ha <sup>-1</sup> ) (B)				AB	A		
			With out PEMP With PEMP					
	0		39,05		39,37	39,21		
2013	750		38,83		40,25	39,54	20.29	
	1300		38,83		39,96	39,39	39,38	
	AC		38,90		39,86			
	0		39,06		40,02	39,54		
2014	750		38,65		41,26	39,95	20.05	
2014	1300		39,18		40,95	40,06	39,85	
•	AC		38,96		40,74			
2015	0		38,80		38,88	38,84		
	750		38,83 39,21 39,0		39,02	29.60		
	1300		36,17		39,75	37,96	38,60	
	AC		37,93		39,28			
	0		38,06		39,43	39,20		
D.C.	750		38,77		40,24	39,50		
ВС	1300		38,97		40,22	39,14		
•	С		38,60		39,96			
Average 2013 - 2015						39,28		
	A**	Bns	C**	ABns	ACns	BC**	ABCns	
LSD 0,05	0,70	0,83	0,64	1,43	1,10	1,10	1,90	
LSD 0,01	0,82	1,13	0,86	1,96	1,49	1,49	2,58	

In a multi-year study, applications with a 16 Hz PEMP frequency and exposure of 30 to 90 minutes led to an increase in protein yield of 2.18% to 6.78%, compared to the control [9]. Likewise, stimulation of seeds with low frequencies of 1.0 Hz PMF also leads to an increase in biomass, sugar, protein, phenol, flavonoids, and soybean grain alkaloids [10].

#### 5. Conclusion

According to the obtained results, it can be concluded that the effects of the pulsating electromagnetic field have a positive effect on increasing the yield and protein content in soybean grain. The advantage of using electromagnetic treatments as biostimulators is the potential to change conventional plant production systems, to eliminate chemical inputs and toxic residues, which is positively correlated with new world trends in order to protect the environment and produce safe food. What is important to point out is the statistically highly significant influence on the examined parameters in the conditions of climate change when the water deficit is pronounced.

#### Acknowledgments

This work was supported by the Serbian Ministry of Education, Science and Technological Development (Agreement No. 451-03-9/2021-14/200378; Agreement No. 451-03-9/2021-14/200032).

#### References

- [1] T. Cakmak, Z. E. Cakmak, R. Dumlupinar, T. Tekinay, *Analysis of apoplastic and symplastic antioxidant system in shallot leaves: impacts of weak static electric and magnetic field.* J Plant Physiol. 169 (2012) 1066–1073 https://doi.org/10.1016/j.jplph.2012.03.011
- [2] G. Vasilevski, *Perspectives of the application of biophysical methods in sustainable agriculture*. Bulgarian Journal of Plant Physiology (Special Issue), (2003) 179-186.
- [3] A. A. H. Abdel Latef, M. F. A. Dawood, H. Hassanpour, M. Rezayian, N. A. Younes, *Impact of the Static Magnetic Field on Growth, Pigments, Osmolytes, Nitric Oxide, Hydrogen Sulfide, Phenylalanine Ammonia-Lyase Activity, Antioxidant Defense System, and Yield in Lettuce.* Biology (Basel), 9:7 (2020) 172. https://doi.org/10.3390/biology9070172
- [4] R. Radhakrishnan, Magnetic field regulates plant functions, growth and enhances tolerance against environmental stresses. Physiol Mol Biol Plants. 25:5 (2019) 1107-1119. DOI: 10.1007/s12298-019-00699-9
- [5] S. Jarayam, G. S. Castle, A. Margaritis, *Effects of high electric field pulses on Lactobacillus Brevis at elevated temperatures*, in Conf. Rec. IEEE-IAS Annual Meeting. (1991) 674–681.
- [6] V. Đukić, Z. Miladinov, G. Dozet, M. Cvijanović, M. Tatić, J. Miladinović, J., S. Balešević-Tubić, Pulsed electromagnetic field – a cultivation practice used to increase soybean seed germination and yield, Žemdirbyste Agriculture, 104:4 (2017) 345-352 <a href="https://doi.org/10.2298/JAS2004311D">https://doi.org/10.2298/JAS2004311D</a>
- [7] S. Pietruszewski, *Effect of magnetic seed treatment on yields of wheat*. Seed Sci. Technol., 21 (1993) 621-626.
- [8] T. Leelapriya, K. S. Dilip, P. V. Sanker-Narayan, *Effect of weak sinusoidal magnetic field on germination and yield of cotton (Gossypium sp.)* Electromagn Biol Med. 22 (2003) 117–125.
- [9] V. Đukić, Z. Miladinov, G. Dozet, G. Cvijanović, J. Miladinović, P. Ranđelović, O. Kandelinskaja, Olga, The impact of a pulsed electromagnetic field on the seed protein content of soybean, Journal of Agricultural Sciences (Belgrade), 65:4 (2020) 311-320 <a href="https://doi.org/10.2298/JAS2004311D">https://doi.org/10.2298/JAS2004311D</a>
- [10] R. Radhakrishnan, B. D. Ranjitha-Kumari, *Protective role of pulsed magnetic field against salt stress effects in soybean organ culture*. Plant Biosyst. 147:1 (2013) 135–140.



ISBN-978-86-82172-01-7

