

14th European Meeting on Environmental Chemistry

HOSTED BY CHEMICAL SOCIETY OF MONTENEGRO

BOOK OF ABSTRACTS

ORGANIZERS

EMEC14th is organized by the Chemical Society of Montenegro in cooperation with European Association of Chemistry and the Environment.

Scientific Committee

Dr. Caslavsky Josef –Czech Republic
Dr. Delort Anne-Marie – France
Dr. Jovancicevic Branimir – Serbia
Dr. Schwarzbauer Jan – Germany
Dr. Trebse Polonça – Slovenia
Dr. Villaescusa Isabel – Spain
Prof. Albert T. Lebedev – Moscow
Prof. Željko Jaćimović – Montenegro

Organizing Committee

Prof. Refik Zejnilović – Montenegro
Dr. Ivana Bošković – Montenegro
Mr. Ana Radović – Montenegro
Mr. Vlatko Kastratović – Montenegro
Mr. Miljan Bigović – Montenegro
Mr. Milica Kosović – Montenegro
Danijela Šuković – Montenegro
Dr. Jaroslava Švarc – Gajić – Serbia

Chairman of the conference

Prof. Željko Jaćimović – Montenegro

Sponsored by

Ministry of Education, Montenegro
Ministry of Science, Montenegro
University of Montenegro
Plantaže
Center for Eco-Toxicological Research
Faculty of Metallurgy and Technology

:he pronounced

but its pollution self-purification erious pollution

QUALITY ASSESSMENT OF WATERS FROM SOUTH-EAST SERBIA IN RESPECT TO MAJOR DISSOLVED ELEMENTS

Z. S. Stojanović¹, J. V. Švarc-Gajić¹*, M. Ž. Đorđević², N. L. Grahovac³
¹Faculty of Technology, University of Novi Sad,
Bulevar cara Lazara 1, 21000 Novi Sad, Serbia
*jsgajic@gmail.com
² Dairy Factory, Svetog Save 4, 37215 Ražanj, Serbia
³Institute for Field and Vegetable Crops,
Maksima Gorkog 30, 21000 Novi Sad, Serbia

According to the density of water resources and the diversity of physico-chemical properties of mineral waters, the territory of Serbia belongs to the one of the most resourceful areas of the European continent. Due to poor data on the quality, only a small fraction of these waters is used as drinking and bottled water. Since safe and minerallyrich drinking water is one of the preconditions of good health and one of the basic health indicators of any country, the aim of this work was to evaluate the quality of spring, ground and some river waters from South-East Serbia region. The study area included the territory between the valley of the South Morava down river flow in the West, Balkan mountain range in the East, the mountains Bukovik and Rtanj in the north, and the mountains Vrdenik and Čemernik in the south. The technique of inductively coupled plasma-atomic emission spectrometry was used for mineral characterisation of natural waters from South-East Serbia. The analysis included determination of aluminium, arsenic, calcium, cadmium, cobalt, chromium, cooper, iron, potassium, magnesium, manganese, sodium, nickel, lead and zinc in spring, ground and river waters. Calculated contents were compared with Serbian regulations on the quality of water for human use, and directive of World Health Organization for maximum acceptable concentrations of chemical substances.

Some spring and ground water samples contained high concentrations of macro-elements Ca, Mg and K. Those waters can be classified as mineral water in accordance with Serbian regulation for natural mineral water, spring water and bottled drinking water. Concentrations up to 84.2 μ g/L, 8.10 μ g/L and 14.9 μ g/L of iron, manganese and copper, respectively, were recorded in some water samples and were within the permissible limits. Other heavy metals were not detected in analysed samples.

Based on the derived results, it can be concluded that tested ground and spring water samples have a significant potential to be used as sources for the production of bottled water. Good quality of the river water samples qualifies these alluvial deposits as good sources of water supply to many communities close to this river. Although results are promising, further investigations are necessary. In the meantime,



precautionary measures should be immediately taken to protect and preserve these water resources. The preservation of water resources should be performed in economically, socially, and environmentally sustainable manner.

Acknowledgment

This work was financially supported by the Provincial Secretariat for Science and Technological Development of the Autonomous Province of Vojvodina, Republic of Serbia.