



UNIVERZITET U
KRAJUJEVCU
AGRONOMSKI FAKULTET U
ČAČKU



UNIVERSITY OF
KRAJUJEVAC
FACULTY OF
AGRONOMY
ČAČAK

XXVI SAVETOVANJE O BIOTEHNOLOGIJI

sa međunarodnim učešćem

- ZBORNİK RADOVA -



Čačak, 12 - 13. mart 2021. godine

XXVI SAVETOVANJE O BIOTEHNOLOGIJI

sa međunarodnim učešćem

- Zbornik radova -

ORGANIZATOR I IZDAVAČ

**Univerzitet u Kragujevcu,
Agronomski fakultet u Čačku**

Organizacioni odbor

Prof. dr Milun Petrović, prof. dr Ljiljana Bošković-Rakočević, dr Duško Brković, spec. dr vet. med Miloš Petrović, dipl. inž. Miloš Marjanović

Programski odbor

Dr Vladimir Kurćubić, vanredni profesor, prof. dr Tomo Milošević, prof. dr Snežana Bogosavljević-Bošković, prof. dr Radojica Đoković, prof. dr Goran Dugalić, prof. dr Biljana Veljković, prof. dr Milena Đurić, prof. dr Milomirka Madić, prof. dr Leka Mandić, prof. dr Drago Milošević, prof. dr Aleksandar Paunović, prof. dr Lenka Ribić-Zelenović, prof. dr Vladeta Stevović, prof. dr Gordana Šekularac, dr Goran Marković, vanredni profesor, dr Pavle Mašković, vanredni profesor, dr Gorica Paunović, vanredni profesor, dr Snežana Tanasković, vanredni profesor, dr Mlađan Garić, vanredni profesor, dr Tomislav Trišović, vanredni profesor, dr Jelena Mašković, vanredni profesor, dr Jelena Mladenović, vanredni profesor, dr Vladimir Dusković, vanredni profesor, dr Ivan Glišić, docent, dr Dragan Vujić, docent, dr Marko Petković, docent, dr Nemanja Miletić, docent, dr Igor Đurović, docent, dr Simeon Rakonjac, docent, dr Dalibor Tomić, docent, dr Ranko Koprivica, docent, dr Mirjana Radovanović, docent, dr Milan Lukić, viši naučni saradnik

Tehnički urednici

Spec. dr vet. med Miloš Petrović, dipl.inž. Dušan Marković

Tiraž: 100 primeraka

Štampa

Štamparija Birograf Comp, 11080 Beograd

Godina izdavanja, 2021

PREDGOVOR

Promene koje se ubrzano dešavaju na globalnom i lokalnom nivou od naučnih, klimatskih, ekonomskih pa do političkih podstiču potrebu da proučimo njihov uticaj na živi svet i na jednu od najvažnijih ljudskih delatnosti - proizvodnju hrane.

Naša poljoprivreda, naše selo, naši poljoprivredni proizvođači nisu danas ono što su i pre trideset, četrdeset ili manje godina bili, srpsko selo se danas više nego ikad ubrzano i u hodu menja. Poljoprivredna nauka mora preuzeti deo odgovornosti u pogledu proizvodnje dovoljne količine kvalitetne hrane za ljudsku ishranu jer prolaze vremena kada se za svaku lošu žetvu traže opravdanja u klimi.

Sa ciljem da budemo u toku određenih zbivanja, kao i da sami svojim rezultatima utičemo na razvoj poljoprivrede i njenih pratećih delatnosti osim kroz edukaciju studenata, Agronomski fakultet u Čačku organizuje i Savetovanje o biotehnologiji.

Osnovni cilj Savetovanja je upoznavanje šire naučne i stručne javnosti sa rezultatima najnovijih naučnih istraživanja, domaćih i inostranih naučnika iz oblasti osnovne poljoprivredne proizvodnje i prerade i zaštite životne sredine. Na taj način fakultet nastoji da omogući direktan prenos naučnih rezultata široj proizvodnoj praksi, pa pored naučnih radnika, agronoma, tehnologa, na ovogodišnjem Savetovanju biće i značajan broj poljoprivrednih proizvođača, stručnih savetodavaca, nastavnika, itd.

U Zborniku radova XXVI Savetovanja o biotehnologiji sa međunarodnim učešćem, predstavljeno je ukupno 70 radova iz oblasti Ratarstva, Povrtarstva i Krmnog bilja, Voćarstva i vinogradarstva, Zootehnike, Zaštite bilja, proizvoda i životne sredine i Prehrambene tehnologije.

Pokrovitelj za XXVI Savetovanje o biotehnologiji sa međunarodnim učešćem je Ministarstvo prosvete, nauke i tehnološkog razvoja Republike Srbije, a materijalnu i organizacionu podršku su nam pružili grad Čačak, privrednici, dugogodišnji prijatelji Agronomskog fakulteta, kojima se i ovim putem zahvaljujemo.

Kolektivu Agronomskog fakulteta, takođe dugujemo zahvalnost, jer su i ovaj put radnici svih struktura, svako na svoj način, doprineli realizaciji još jednog Savetovanja.

U Čačku, marta 2021. godine

Programski i Organizacioni odbor
XXVI Savetovanja o biotehnologiji

SADRŽAJ

Sekcija: Ratarstvo, povrtarstvo i krmno bilje

<i>Ivica Djalović, Vuk Radojević, Vojislav Mihailović, Sanja Vasiljević, Bojan Mitrović:</i> GENOTIPSKI ODGOVOR NS HIBRIDA KUKURUZA NA POVEĆANU GUSTINU USEVA.....	11
<i>Ana Marjanović Jeromela, Federica Zanetti, Johann Vollmann, Barbara Alberghini, Arianna Borghesi, Sandra Cvejić, Ankica Kondić Špika, Andrea Monti, Dragana Miladinović:</i> COMPARISON OF CAMELINA SEED YIELD AND BIOMASS PRODUCTION IN CONTRASTING ENVIRONMENTS.....	19
<i>Ankica Kondić Špika, Dragana Trkulja, Sanja Mikić, Ljiljana Brbaklić:</i> COMPARISON OF AGRONOMICAL PERFORMANCE OF SERBIAN WHEAT CULTIVARS AND NILS WITH DIFFERENT PPD ALLELES.....	25
<i>Borislav Petković, Novo Pržulj, Vojo Radić, Darko Aćimović:</i> POTENCIJAL PRINOSA GENOTIPOVA CRVENE DJETELIENE (<i>Trifolium pratense</i> L.).....	31
<i>Dalibor Tomić, Vladeta Stevović, Dragan Đurović, Milomirka Madić, Miloš Marijanović, Aleksandar Simić, Jasmina Knežević:</i> ZNAČAJ PRAVILNE ISHRANE KRMNIH LEGUMINOZA FOSFOROM NA KISELIM ZEMLJIŠTIMA.....	37
<i>Vojin Đukić, Jegor Miladinović, Zlatica Miladinov Mamlić, Gordana Dozet, Marija Bajagić, Marijana Jovanović, Vojin Cvijanović:</i> PRINOS SOJE U ZAVISNOSTI OD VREMENA PRIMENE NPK ĐUBRIVA	43
<i>Duško Brković, Dalibor Tomić, Snežana Branković:</i> DIVERZITET I ANALIZA KVALITATIVNOG SASTAVA BILJNE ZAJEDNICE STRNIŠTA KAO POTENCIJALNE KRME.....	49
<i>Gordana Dozet, Vojin Đukić, Zlatica Miladinov Mamlić, Nenad Đurić, Gorica Cvijanović, Marijana Jovanović Todorović, Dimitrije Dozet:</i> UTICAJ SORTE I MIKROBIOLOŠKIH PREPARATA NA BROJ I MASU NODULA KOD ORGANSKE PROIZVODNJE PASULJA	55
<i>Gorica Cvijanović, Eltreki Abduladim, Nenad Đurić, Vojin Đukić, Gordana Dozet, Zlatica Miladinov Mamlić, Asija Abduladim:</i> UTICAJ PRIMENE NPK ĐUBRIVA I EFEKTIVNIH MIKROORGANIZAMA NA MASU I VISINU BILJAKA SOJE.....	61
<i>Kristina Luković, Veselinka Zečević, Vladimir Perišić, Milivoje Milovanović, Kamenko Bratković, Vera Rajčić:</i> STABILNOST PRINOSA ZRNA LINIJA PŠENICE CENTRA ZA STRNA ŽITA KRAGUJEVAC.....	67
<i>Ljiljana Bošković-Rakočević, Gorica Paunović, Goran Dugalić, Jelena Mladenović:</i> POGODNOST ZEMLJIŠTA ZA GAJENJE MALINE	73
<i>Marijana Dugalić, Ljiljana Bošković Rakočević, Vera Rajčić, Dragan Terzić:</i> UTICAJ NAČINA PRIMENE MINERALNIH ĐUBRIVA NA PRINOS KROMPIRA	79
<i>Milena Simić, Vesna Dragičević, Željko Dolijanović, Milan Brankov, Života Jovanović:</i> ZNAČAJ PREDUSEVA ZA PRODUKTIVNOST KUKURUZA	85
<i>Milomirka Madić, Dalibor Tomić, Aleksandar Paunović, Vladeta Stevović, Dragan Đurović:</i> PRINOS ZRNA HIBRIDA KUKURUZA RAZLIČITIH FAO GUPA ZRENJA.....	93

<i>Miroljub Aksić, Gordana Šekularac, Slaviša Gudžić, Nebojša Gudžić, Dragan Grčak, Milosav Grčak, Borivoj Pejić, Aleksandar Đikić:</i>	EFEKAT ZALIVNOG REŽIMA U ZATVORENOM PROSTORU NA INTENZITET POJAVE PLAMENJAČE KRASTAVCA...	101
<i>Slađana Đurašević, Uroš Pešović, Dejan Vujičić, Dušan Marković, Snežana Tanasković, Dalibor Tomić, Vladeta Stevović:</i>	PRAĆENJE AKTIVNOSTI PČELA PRIMENOM RAČUNARSKE VIZIJE	107
<i>Svetlana Hadžić, Alma Mičijević, Vedrana Komlen:</i>	UTICAJ AGROEKOLOŠKIH USLOVA I FAZA RAZVOJA HELJDE (<i>Fagopyrum esculentum</i> Moench) NA SADRŽAJ RUTINA.	113
<i>Vladeta Stevović, Dalibor Tomić, Dragan Đurović, Milomirka Madić:</i>	UNAPREĐENJE PROIZVODNJE STOČNE HRANE NA PRIRODNIM TRAVNJACIMA.....	119

Sekcija: Voćarstvo i vinogradarstvo

<i>Jelisaveta Seka Cvijanović, Miljan Cvetković, Tatjana Jovanović-Cvetković:</i>	UTICAJ PROREĐIVANJA PUPOLJAKA NA KVALITET PLODOVA TREŠNJE (<i>Prunus avium</i> L.) SORTI 'KORDIA' I 'SWEETHEART'.....	125
<i>Ivana Milanović, Tomo Milošević, Gorica Paunović, Ivan Glišić, Radmila Ilić:</i>	UTICAJ HRANIVA I TERMINA SADNJE NA PROIZVODNE OSOBINE JAGODE (<i>Fragaria ananassa</i> Duch.).....	131
<i>Nela Bojović, Milan Jovanović, Biljana Veljković, Ranko Koprivica, Dušan Marković:</i>	KALKULACIJA PROIZVODNJE KRUŠKE SORTE VILJAMOVKA NA PORODIČNOM GAZDINSTVU.....	139
<i>Mlađan Garić, Vera Vukosavljević, Zoran Bosiočić:</i>	AGROBIOLOŠKA SVOJSTVA SORTE SEMIJON U OPLENAČKOM VINOGORJU	145
<i>Nebojša Milošević, Ivana Glišić, Milena Đorđević, Sanja Radičević, Slađana Marić:</i>	ISPITIVANJE SORTI ŠLJIVE RANOG VREMENA SAZREVANJA PLODA NA PODRUČJU ČAČKA	151
<i>Danijela Starčević, Tatjana Jovanović-Cvetković:</i>	KOMPARATIVNE KARAKTERISTIKE INTERSPECIES HIBRIDA VINOVE LOZE I SORTE RIZLING RAJNSKI U USLOVIMA BANJALUČKE REGIJE	161

Sekcija: Zootehnika

<i>Blagoje Stojković, Bojan Stojanović, Nenad Đorđević, Goran Grubić, Vesna Davidović Aleksa Božičković, Radovan Raković:</i>	UTICAJ USITNJENOSTI KOMPLETNOG OBROKA ZA KRAVE U LAKTACIJI NA VREME KONZUMIRANJA I PREŽIVANJA HRANEI HEMIJSKI SASTAV MLEKA:	167
<i>Dušan Radivojević, Biljana Veljković, Ranko Koprivica:</i>	NORMATIVI PROIZVODNJE NA FARMAMA MUZNIH KRAVA.....	177
<i>Goran Marković, Milomirka Madić, Jelena Pantović:</i>	UPOTREBNA VREDNOST RAZLIČITIH ŽITARICA ZA ISHRANU ŠARANSKIH RIBA (CYPRINIDAE).....	183
<i>Ivana Božičković, Vesna Davidović, Radomir Savić, Vladimir Živković, Stefan Stepić, Vladan Đermanović:</i>	UTICAJ FIZIČKE AKTIVNOSTI NA HISTOLOŠKE KARAKTERISTIKE MIŠIĆA DOMAĆIH ŽIVOTINJA	189
<i>Krstina Zeljić, Dragan Stanojević, Vladan Bogdanović, Nikolija Gligović, Stefan Stepić:</i>	UTICAJ GODINE, POLA I TIPA ROĐENJA NA TELESNU MASU I PORAST JAGNJADI BERGAMO RASE OVACA	199

<i>Milun Petrović, Snežana Bogosavljević-Bošković, Simeon Rakonjac, Radojica Đoković, Miloš Petrović, Vladimir Dusković, Biljana Veljković:</i>	SISTEMI GAJENJA I PROIZVODNJE U ORGANSKOM OVČARSTVU I KOZARSTVU.....	205
<i>Milun Petrović, Vladan Bogdanović, Snežana Bogosavljević-Bošković, Simeon Rakonjac, Radojica Đoković, Miloš Petrović, Vladimir Dusković:</i>	UTICAJ ODGAJIVAČKOG PODRUČJA, GODINE ROĐENJA I SEZONE TELENJA NA PROIZVODNJU MLEKA I MLEČNE MASATI U STANDARDNIM LAKTACIJAMA KOD KRAVA SIMENTALSKE RASE.....	211
<i>Nenad Đorđević, Dušica Radonjić, Goran Grubić, Bojan Stojanović, Aleksa Božičković, Blagoje Stojković:</i>	UTICAJ MASTI OBROKA NA SADRŽAJ ESENCIJALNIH MASNIH KISELINA U MLEČNOJ MASTI PREŽIVARA.....	219
<i>Nikolija Gligović, Vladan Bogdanović, Radica Đedović, Dragan Stanojević, Krstina Zeljić:</i>	FENOTIPSKA VARIJABILNOST LINEARNO OCENJENIH OSOBINA TIPA PRVOTELKI HOLŠTAJN-FRIZIJSKE RASE.....	227
<i>Radojica Đoković, Marko Cincović, Vladimir Kurćubić, Milun D. Petrović, Miloš Ži. Petrović, Ljiljana Anđušić, Biljana Anđelić:</i>	HOMEORETSKA REGULACIJA METABOLIČKIH FUNKCIJA KOD KRAVA U PERIPARTALNOM PERIODU	235
<i>Simeon Rakonjac, Snežana Bogosavljević-Bošković, Vladimir Dusković, Miloš Lukić, Zdenka Škrbić, Veselin Petričević, Milun D. Petrović:</i>	KVALITET JAJA ORGANSKIH KOKOŠI NOSILJA U RAZLIČITIM FAZAMA PROIZVODNOG CIKLUSA.....	245
<i>Vesna Davidović, Zoran Popović, Predrag Perišić, Goran Slijepčević, Bojan Stojanović, Ivana Božičković:</i>	TROFEJNE KARAKTERISTIKE SRNDAČA (<i>CAPREOLUS CAPREOLUS</i> L.) U RAZLIČITIM LOVIŠTIMA SRBIJE.....	251
<i>Vesna Davidović, Bojan Stojanović, Predrag Perišić, Slavica Aleksić, Ivana Božičković, Renata Relić:</i>	ISPITIVANJE VREDNOSTI POKAZATELJA ENERGETSKOG I PROTEINSKOG STATUSA MLEČNIH KRAVA.....	259
<i>Vladimir Dusković, Snežana Bogosavljević-Bošković, Zdenka Škrbić, Miloš Lukić, Simeon Rakonjac, Veselin Petričević, Dejan Beuković:</i>	EFEKAT ENZIMA PROTEAZE NA PRINOS I UDEO JESTIVIH PRATEĆIH PROIZVODA KLANJA PILIČA HIBRIDA MASTER GRIS.....	269
<i>Vučeta Jaćimović, Mirjana Bojanić – Rašović, Veljko Đurović, Lazar Tomović:</i>	NOVI NAČIN UPOTREBE OKSALNE KISELINE ZA SUZBIJANJE VAROE U CRNOJ GORI.....	275
<u>Sekcija: Zaštita bilja, proizvoda i životne sredine</u>		
<i>Aleksandra Janićijević, Suzana Filipović, Vladimir B. Pavlović, Aleksandra Sknepnek, Danijela Kovačević, Nenad Đorđević, Miljana Mirković, Predrag Živković:</i>	SINTEZA I STRUKTURA BAKTERIJSKE CELULOZE PRIMENOM BAKTERIJA SIRČETNOG VRENJA.....	281
<i>Aleksandra Petrović, Ivana Ivanović, Vojislava Bursić, Gorica Vuković, Nikola Puvača, Dušan Marinković, Bojan Konstantinović:</i>	STRIPED FIELD MOUSE (<i>APODEMUS AGRARIUS PALLAS, 1771</i>) SEASONAL DYNAMICS AND ITS ROLE AS A VECTOR OF IXODID TICKS.....	291
<i>Aleksandra Petrović, Gorica Vuković, Tijana Stojanović, Dušan Marinković, Bojan Konstantinović, Bojana Špirović-Trifunović, Željka Jeličić Marinković, Vojislava Bursić:</i>	OCCURRENCE OF TROPANE ALKALOIDS IN MAIZE DUE TO THE PRESENCE OF <i>SOLANACEAE</i> FAMILY	297

<i>Dragutin Đukić, Leka Mandić, Vesna Đurović, Aleksandar Semenov, Slavica Vesković, Monika Stojanov, Jelena Mladenović:</i> ZAGAĐENJE ŽIVOTNE SREDINE I ZDRAVLJE ČOVEKA	303
<i>Emilija Kostić, Maja Vujović:</i> TOKSIKOLOŠKI IZVEŠTAJ O TROVANJU PESTICIDIMA U JUGOISTOČNOM REGIONU SRBIJE TOKOM 2020. GODINE	313
<i>Gorica Đelić, Zoran Simić, Snežana Branković, Milan Stanković, Milica Pavlović, Tatjana Jakšić, Predrag Vasić:</i> POTENCIJAL BIOAKUMULACIJE I TRANSLOKACIJE METALA KOD VRSTE ACHILLEA MILLEFOLIUM SA RAZLICITIH LOKALITETA	319
<i>Gorica Đelić, Milan Stanković, Biljana Bojović, Milica Pavlović:</i> ALERGENE BILJKE NA TERITORIJI GRADA KRAGUJEVCA	325
<i>Ljubica Šarčević-Todosijević, Snežana Đorđević, Vera Popović, Ljubiša Živanović, Bojana Petrović, Nikola Đorđević, Aleksandar Stevanović:</i> ZNAČAJ MIKROBIOLOŠKE ISPRAVNOSTI VODE U ZAŠTITI ZDRAVLJA STANOVNIŠTVA	331
<i>Maja Meseldžija, Milica Dudić, Radovan Begović, Ivana Marjanović:</i> EFIKASNOST KOMBINACIJE MEZOTRIONA I TERBUTILAZINA IZ RAZLIČITIH PREPARATA U USEVU KUKURUZA	339
<i>Milena Radenković, Aleksandra Milošković, Nataša Kojadinović, Simona Đuretanović, Tijana Veličković, Marijana Nikolić, Marija Jakovljević, Vladica Simić:</i> ISHRANA GRABLJIVIH VRSTA RIBA I NJIHOV UTICAJ NA ODRŽANJE STABILNOSTI AKUMULACIJE BOVAN	345
<i>Nataša Stojić, Mira Pucarević, Milica Živković, Vesna Teofilović, Dunja Prokić:</i> UTICAJ OTPADA NA FIZIČKO-HEMIJSKE KARAKTERISTIKE ZEMLJIŠTA	351
<i>Nebojša Đ. Pantelić, Jana S. Štrbački, Goran S. Marković, Jelena B. Popović-Đorđević:</i> SEASONAL VARIATIONS OF THE ZAPADNA MORAVA RIVER WATER QUALITY	357
<i>Nikola Lačković, Branislav Ranković, Marijana Kosanić, Nevena Petrović:</i> DIVERZITET MAKROMICETA PLANINE „BUKULJA“	363
<i>Slobodan Vlajić, Stevan Maširević, Jelica Gvozdanović - Varga, Dragana Milošević, Gordana Tamindžić, Janko Červenski, Maja Ignjatov:</i> EFIKASNOST RAZLIČITIH FUNGICIDA U SUZBIJANJU PROUZROKOVAČA PLAMENJAČE SPANAČA	369
<i>Tomislav Trišović, Lidija Rafailović, Wei Li, Branimir Grgur, Trišović Zaga:</i> SISTEM ZA PREČIŠĆAVANJE PIJAČE VODE SA POVEĆANOM TVRDOĆOM I KONCENTRACIJOM AMONIJAKA, GVOŽĐA, MANGANA	377
<i>Mirko Radić, Duško Kostić, Branko Pejović, Srđan Jović, Vladan Mičić:</i> ODREĐIVANJE TERMIČKIH VELIČINA KOD PRAVOLINIJSKOG KLIZNOG LEŽIŠTA NA BAZI DISIPACIONE FUNKCIJE	387
Sekcija: Prehrambena tehnologija	
<i>Biljana Bojović, Milica Kanjevac, Dragana Jakovljević:</i> EFEKAT PRAJMIANJA SEMENA PŠENICE (<i>Triticum aestivum</i> L.) NA SADRŽAJ FOTOSINTETSKIH PIGMENATA I UKUPNIH SOLUBILNIH PROTEINA	401
<i>Jelena Mladenović, Veronika Marković, Ljiljana Bošković-Rakočević, Milena Đurić, Nenad Pavlović:</i> ISPITIVANJE EKSTRAKATA ORIGANA DOBIJENIH RAZLIČITIM METODAMA	407
<i>Jelena Mladenović, Nebojša Marković, Ljiljana Bošković-Rakočević, Milena Đurić, Nenad Pavlović:</i> ODREĐIVANJE HEMIJSKOG SASTAVA RAZLIČITIH EKSTRAKATA ČUVARUČE	413

<i>Marko Antonijević, Dušica Simijonović, Ana Kesić, Edina Avdović, Zoran Marković:</i> ANTIRADIKALSKI KAPACITET (E)-N'-1-(2,4-DIOKSO-2H-HROMEN-3(4H)- ILIDENE)ETIL)-4-HIDROKSI-3-METOKSIBENZOHIDRAZIDA.....	423
<i>Marko Antonijević, Jelena Đorović Jovanović, Ana Kesić, Dejan Milenković, Zoran Marković:</i> KOMPLEKSI ZLATA KAO POTENCIJALNI SUPLEMENI SA ANTIKANCEROGENIM I ANTIVIRUSNIM DELOVANJEM.....	429
<i>Mirjana Radovanović, Marko Petković, Vesna Đurović, Nemanja Miletić Katarina Rumenić:</i> UTICAJ NAČINA PRESOVANJA NA PROMENE LEŠNIKOVOG ULJA TOKOM ČUVANJA I SENZORNA SVOJSTVA KEKSA.....	435
<i>Monika Stojanova, Olga Najdenovska, Dragutin Đukić:</i> THE INFLUENCE OF TWO STARTER CULTURES ON THE MICROBIOLOGICAL STABILITY OF MACEDONIAN TRADITIONAL SAUSAGE.....	441
<i>Nedim Čučević, Ranko Koprivica, Mejrema Bibić, Anida Prelić, Esad Hodžić, Jasmina Mašović, Benjamin Salaković:</i> PREGLED REZULTATA KISELOSTI SIROVOG MLEKA NA TERITORIJI OPŠTINE SJENICA.....	447
<i>Nenad Zlatić, Vladimir Mihailović, Gorica Đelić, Marija Lješević, Vladimir Beškoski, Milan Stanković:</i> VARIJABILNOST SESKVITERPENA ETARSKIH ULJA VRSTE <i>TEUCRIUM MONTANUM</i> L.....	453
<i>Radoslava Savić Radovanović, Aleksandra Aleksić-Agelidis, Jelena Aleksić Radojković:</i> ZAKONSKI PROPISI U ORGANSKOJ PROIZVODNJI-NACIONALNA I EU REGULATIVA.....	459
<i>Slaviša Stajić, Dušan Živković:</i> HEMIJSKI SASTAV I SENZORNA SVOJSTVA FRANKFURTERA SA BILJNIM ULJIMA.....	467
<i>Vladimir Kurćubić, Slaviša Stajić, Nemanja Miletić:</i> „UTICAJ ODREĐENIH STRESOGENIH FAKTORA NA KVALITET GOVEĐEG MESA“.....	473
<i>Žiko Milanović, Ana Kesić, Edina Avdović, Jelena Đorović Jovanović, Dejan Milenković:</i> UTICAJ pH VREDNOSTI NA ANTIRADIKALSKI KAPACITET 4,7- DIHIDROKSIKUMARINA.....	481
<i>Žiko Milanović, Marko Antonijević, Ana Kesić, Dušan Dimić, Jelena Đorović Jovanović:</i> ANTIOKSIDATIVNI KAPACITET ANTRAHINONA IZ BILJKE <i>RUBIA CORDIFOLIA LINN</i>.....	487
<i>Valentina Nikolić, Slađana Žilić, Marijana Simić, Milica Radosavljević, Milomir Filipović, Jelena Srdić:</i> QUALITY PARAMETERS AND POTENTIALS OF UTILIZATION OF DIFFERENT MAIZE HYBRIDS FOR FOOD AND FEED.....	495

COMPARISON OF CAMELINA SEED YIELD AND BIOMASS PRODUCTION IN CONTRASTING ENVIRONMENTS

Ana Marjanović Jeromela¹, Federica Zanetti², Johann Vollmann³, Barbara Alberghini², Arianna Borghesi², Sandra Cvejić¹, Ankica Kondić Špika¹, Andrea Monti², Dragana Miladinović¹

Abstract: The most of the research work on camelina has been carried out in northern America and continental Europe. Two breeding groups (IFVCNS and BOKU) and one group focusing on the agronomy (DISTAL) just recently started research activities focusing on the development of new genotypes more adapted for southern regions of Europe. Common field trials, with 2 camelina lines selected by IFVCNS and 6 lines selected by BOKU were established at Bologna, Italy and at Rimski Šančevi, Serbia. Newly developed camelina lines were found to be highly adapted to Bologna environment, being able to achieve sustained seed yield in spite of delayed sowing and higher temperatures during pod filling period.

Key words: biomass, camelina, environment, southern Europe, yield

Introduction

Camelina [*Camelina sativa* (L.) Crantz] is a native species of Europe. It was widely cultivated until the beginning of the 19th century, when it was replaced by other, more productive, oil crops, like oilseed rape. The recent increased interest for this species is mainly due to its wide environmental suitability, low input requirements and good tolerance to pests and diseases (Zanetti et al., 2021). The most of research work on camelina has been carried out in northern America and continental Europe. Consequently, there are not many data on evaluation of suitability of camelina genotypes for cultivation in southern Europe (Angelini et al., 2020).

Two breeding groups (IFVCNS and BOKU) and one group focusing on the agronomy development of the crop (DISTAL) just recently started research activities focusing on development of new genotypes more adapted for southern regions of Europe and evaluation of their productivity in these, more arid regions.

Material and methods

Common field trials, with 2 camelina lines selected by IFVCNS (NS Slatka and NS Zlatka) and 6 lines selected by BOKU (CA13X_1S-21, CJ6X-78, CK1X-129, BGRC-51558, CU005 and CJ13X-115), were established at Bologna (Italy, 44°30' N, 11°21'

¹Institute of Field and Vegetable Crops (IFVCNS), Novi Sad, Serbia (ana.jeromela@ifvcns.ns.ac.rs);

²Dept. of Agricultural and Food Sciences (DISTAL), University of Bologna, Italy;

³University of Natural Resources and Life Sciences (BOKU), Vienna, Austria.

E, 28 m a.s.l) and at Rimski Šančevi (Serbia, 45°20' N, 19°51' E, 84 m a.s.l) in spring 2018.

Sowing was done on the 09 April in Italy and 03 April in Serbia. Harvest was performed on 2 July in Italy and 5 July in Serbia. The experimental protocol and the agronomic management were similar in the two sites. Camelina was sown by means of a plot seeder adopting a seeding rate of 500 seeds m⁻². Weed control and nitrogen fertilization (50 kg of N ha⁻¹, as urea, at stem elongation phase) were manually performed in all trials, while irrigation and pesticide applications were never necessary. The experimental design was a split plot design with three replicates.

Plant morphology analyses (i.e., phenology, biomass partitioning at full flowering stage and before harvest, and plant height) during growth cycle were carried out in both locations on NS Slatka and NS Zlatka. At full maturity, the central portion of each plot was manually cut and then threshed to survey the total aboveground biomass, seed yield, and 1000-seed weight (TKW).

The mean temperature surveyed during camelina growing season (i.e. from sowing to harvest) was very similar at the two location (19.9 °C in Rimski Šančevi and 20.0°C in Bologna), while precipitation greatly differed reporting 102.6 mm in Bologna and 244 mm in Rimski Šančevi.

Results and discussion

As in the work of other authors growth environment significantly influenced camelina yield and biomass traits (Obour et al., 2017).

In both locations, camelina trials were not sown in optimal time, since sowing was delayed due to unfavorable weather conditions. This indirectly affected yield of all tested genotypes. In Bologna trial, seed yield was not significantly different among tested genotypes (grand mean 127 g DM m⁻²), but variation of seed weight was observed ($P \leq 0.05$) (Figure. 1). In Rimski Šančevi, seed yield was very low due to late sowing, with two locally developed lines, NS Slatka and NS Zlatka, having significantly higher seed yields than the BOKU lines ($P \leq 0.05$). Negative effect of late sowing on camelina yield was also observed by Sintim et al. (2016) and Neupane et al. (2019). Both authors found significant effects of seeding dates on camelina establishment, phenology, yield, seed protein, oil content, and estimated biodiesel yield.




Figure 1. Camelina 1000-seed weight (TKW) surveyed in Bologna trial

Biomass production was significantly higher in Bologna than in Rimski Šančevi (Figure 2). In both locations, precipitation was similar, with cumulate precipitation during camelina vegetation period exceeding 100 mm in both locations. The same stands for GDD (growing degree day) accumulation, where limited differences were observed (1271 in Bologna vs. 1383 in Rimski Šančevi). However, mean daily temperatures were much lower in Bologna than in Rimski Šančevi until pod formation phase (-1.3°C/day), while during seed filling phase temperatures were higher in Bologna (+1.5°C/day). That indicates that higher biomass production, along with the increased seed yield observed in Bologna were due to improved shoot vigour and capability to allocate very early in the season high biomass into the pods. The obtained results are in contrast with the work of other authors who found negative correlation between high temperatures during pod fillig phase and camelina yield (Obour et al., 2017).




Figure 2. Biomass partitioning carried out in Bologna and Rimski Šančevi on NS Slatka and NS Zlatka camelina lines at different growth stages (GDD)

Conclusions

Newly developed camelina lines were found to be highly adapted to Bologna environment, being able to achieve sustained yield in spite of delayed sowing and higher temperatures during pod filling period.

Further studies need to be carried out in order to confirm these preliminary data, along with full characterization of seed oil content and composition in order to uncover interesting characteristics for potential in breeding programs.

Acknowledgements

This study was supported by the Ministry of Education, Science and Technological Development of the Republic of Serbia, grant number: 451-03-9/2021-14/200032

References

Angelini L.G., Abou Chehade L., Foschi L., Tavarini S. (2020). Performance and potentiality of camelina (*Camelina sativa* L. Crantz) genotypes in response to sowing date under Mediterranean environment. *Agronomy*, 10: 1929.

- Neupane D., Solomon J.K.Q., Mclennon E., Davison J., Lawry T. (2019). Sowing date and sowing method influence on camelina cultivars grain yield, oil concentration, and biodiesel production. *Food Energy and Security*, 8: e166.
- Obour A.K., Obeng E., Mohammed Y.A., Ciampitti I.A., Durrett T.P., Aznar-Moreno J.A., Chen, C. (2017). Camelina seed yield and fatty acids as influenced by genotype and environment. *Agronomy Journal*, 109: 947-956.
- Sintim H.Y., Zheljzkov V.D., Obour A.K., Garcia A.G., Foulke T.K. (2016). Evaluating agronomic responses of camelina to seeding date under rain-fed conditions. *Agronomy Journal*, 108: 349-357.
- Zanetti F, Alberghini B, Marjanović-Jeromela A, Grahovac N, Rajković D, Kiproviski B, Monti A. 2021. Camelina, an ancient oilseed crop actively contributing to the rural renaissance in Europe. A review. *Agronomy for Sustainable Development* 41, 2. <https://doi.org/10.1007/s13593-020-00663-y>

¹Institute of Field and Vegetable Crops (IFVCNS), Novi Sad, Serbia (ana.jeromela@ifvcns.ns.ac.rs);

²Dept. of Agricultural and Food Sciences (DISTAL), University of Bologna, Italy;

³University of Natural Resources and Life Sciences (BOKU), Vienna, Austria.

CIP - Katalogizacija u publikaciji - Narodna biblioteka Srbije, Beograd

63(082)(0.034.2)

606:63(082)(0.034.2)

SAVETOVANJE o biotehnologiji sa međunarodnim učešćem (26 ; 2021 ; Čačak)

Zbornik radova [Elektronski izvor] / XXVI savetovanje o biotehnologiji sa međunarodnim učešćem, Čačak, 12 - 13. mart 2021. godine ; [organizator]

Univerzitet u Kragujevcu, Agronomski fakultet u Čačku. - Čačak :

Univerzitet u Kragujevcu, Agronomski fakultet, 2021 (Beograd : Birograf Comp). - 1 elektronski optički disk (CD-ROM) ; 12 cm

Sistemske zahteve: Nisu navedeni. - Nasl. sa naslovne strane dokumenta. -

Radovi na srp. i engl. jeziku. - Tiraž 100. - Bibliografija uz svaki rad.

ISBN 978-86-87611-80-1

a) Пољопривреда - Зборници b) Биотехнологија - Зборници

COBISS.SR-ID 33682953

DOI: 10.46793/SBT26